

General Index

- A**ccelerated convergence of series 172ff.
Accuracy 31f.
 achievable in minimization 402, 408, 415
 achievable in root finding 357
 contrasted with fidelity 843, 851
 CPU different from memory 192
 vs. stability 715, 740, 841, 855
Accuracy parameters 17, 956f.
Acknowledgments xiii
Adams-Bashford-Moulton method 752
Adams' stopping criterion 377
Adaptive integration 133, 146, 714, 719ff.,
 729ff., 737f., 742, 748, 753f., 799
Adaptive Monte Carlo integration 320ff.,
 323ff.
Addition, multiple precision 917
Addition theorem, elliptic integrals 266
ADI (alternating direction implicit) method
 858, 872f., 917
Adjoint operator 878
Adobe Illustrator xiv, xx
Advective equation 837
AGM (arithmetic geometric mean) 917
Airy function 216, 245, 255
 routine for 255f.
Aitken's delta squared process 172
Aitken's interpolation algorithm 111
AIX (IBM) 4
Algorithms, non-numerical 891ff.
Aliasing 506, 581
 see also Fourier transform
All-poles model 578
 see also Maximum entropy method (MEM)
All-zeros model 578
 see also Periodogram
Allocation of storage 941
Alternating-direction implicit method (ADI)
 858, 872f., 917
Alternating series 172f.
Alternative extended Simpson's rule 138
Amoeba 414
 see also Simplex, method of Nelder and
 Mead
Amplification factor 839, 841, 843, 851, 856f.
Amplitude error 842
Analog-to-digital converter 823, 896
Analyticity 207
Analyze/factorize/operate package 74f., 835
Anderson-Darling statistic 631f.
Andrew's sine 707
Annealing, method of simulated 398f., 448ff.
 assessment 459
 for continuous variables 448, 455f.
 schedule 449
 thermodynamic analogy 448f.
 traveling salesman problem 449ff.
ANSI/ISO C++ standard 3
Antonov-Saleev variant of Sobol' sequence
 314ff.
Apple xx
 Macintosh 896
Approximate inverse of matrix 60
Approximation of functions 108f.
 by Chebyshev polynomials 197f., 524
 Padé approximant 206ff.
 by rational functions 209ff.
 by wavelets 605f., 793
 see also Fitting
Arithmetic
 arbitrary precision 891, 916ff.
 floating point 891
 IEEE standard 289, 893
 rounding 892
Arithmetic coding 891, 912ff.
Arithmetic-geometric mean (AGM) method
 917
Array
 C style 20, 941
 centered subarray of 122
 classes 20ff., 25ff., 941, 950, 953
 constructors 26, 29
 index range xi, 21
 one-dimensional 20
 resize function not assumed 23
 size function 26, 30
 three-dimensional 27
 two-dimensional 20
 unit-offset xi, 21
 user-defined library 28ff., 949
 variable dimension 20
 zero-offset xi, 21
Artificial viscosity 842, 848
Ascending transformation, elliptic integrals
 267
ASCII character set 6, 898, 906, 912
Assembly language 282
Associated Legendre polynomials 257f., 775
 recurrence relation for 258
 relation to Legendre polynomials 257
Association, measures of 615, 633ff.

- Asymptotic series 173
 exponential integral 229
- Attenuation factors 595
- Autocorrelation
 in linear prediction 570
 use of FFT 550
 Wiener-Khinchin theorem 503, 579
- AUTODIN-II polynomial 900
- Autonomous differential equations 740f.
- Autoregressive model (AR) *see* Maximum entropy method (MEM)
- Average deviation of distribution 616
- Averaging kernel, in Backus-Gilbert method 818
- B**acksubstitution 45, 50, 53, 102
 in band diagonal matrix 57
 in Cholesky decomposition 100
 complex equations 52
 direct for computing $\mathbf{A}^{-1} \cdot \mathbf{B}$ 51
 relaxation solution of boundary value problems 768
 in singular value decomposition 67
- Backtracking 431
 in quasi-Newton methods 388
- Backus-Gilbert method 818ff.
- Backward deflation 374
- Bader-Deuffhard method 741, 746f.
- Bairstow's method 375, 381
- Balancing 488
- Band diagonal matrix 53, 55ff.
 backsubstitution 57
 LU decomposition 56f.
 multiply by vector 55f.
 storage 55
- Band-pass filter 563, 567
 wavelets 597, 603f.
- Bandwidth limited function 506
- Bank accounts, checksum for 904
- Bar codes, checksum for 904
- Bartlett window 559
- Base of representation 31, 892
- BASIC, Numerical Recipes in xvi, 1
- Basis functions in general linear least squares 676
- Bayes' Theorem 821
- Bayesian
 approach to inverse problems 810, 822, 828
 contrasted with frequentist 821
 vs. historic maximum entropy method 828
 views on straight line fitting 675
- Bays' shuffle 284
- Bernoulli number 143
- Bessel functions 235ff., 245ff.
 asymptotic form 235, 241
 complex 216
 continued fraction 245f., 251f.
 double precision 235
 fractional order 235, 245ff.
 Miller's algorithm 187, 239
 modified 241ff.
 modified, fractional order 251ff.
 modified, normalization formula 244, 251
 modified, routines for 241ff.
 normalization formula 187
 recurrence relation 184, 236, 243f., 246f.
 reflection formulas 247
 reflection formulas, modified functions 252
 routines for 237ff., 248ff.
 routines for modified functions 253f.
 series for K_ν 252
 series for Y_ν 247
 spherical 245, 256
 turning point 246
 Wronskian 245, 251
- Best-fit parameters 661, 667, 671, 708f.
see also Fitting
- Beta function 218
 incomplete *see* Incomplete beta function
- BFGS algorithm *see* Broyden-Fletcher-Goldfarb-Shanno algorithm
- Bias, of exponent 31
- Bias, removal in linear prediction 575
- Biconjugacy 87
- Biconjugate gradient method
 elliptic partial differential equations 835
 preconditioning 88f., 835
 for sparse system 87f., 610
- Bicubic interpolation 128f.
- Bicubic spline 130f.
- Big-endian 306
- Bilinear interpolation 126f.
- Binomial coefficients 218
 recurrences for 220
- Binomial probability function 220
 cumulative 234
 deviates from 294, 299f.
- Binormal distribution 642, 701
- Biorthogonality 87
- Bisection 120, 370
 compared to minimum bracketing 401ff.
 minimum finding with derivatives 410
 root finding 354, 357f., 363ff., 401, 481
- BISYNCH 900
- Bit 31
 reversal in fast Fourier transform (FFT) 510f., 536
- Bitwise logical functions 300ff., 900f.
- Block-by-block method 799
- Block of statements 7
- Bode's rule 136
- Boltzmann probability distribution 449
- Boltzmann's constant 449
- bool, specialization of vector interferes with MTL wrapper 953
- Bootstrap method 696f.
- Bordering method for Toeplitz matrix 95f.
- Borland C++ 4
- Borwein and Borwein method for π 917
- Boundary 166f., 437, 756
- Boundary conditions
 for differential equations 712f.
 initial value problems 713
 in multigrid method 879f.
 partial differential equations 519, 830ff., 859ff.
 for spheroidal harmonics 776

- two-point boundary value problems 713, 756ff.
 - Boundary value problems *see* Differential equations; Elliptic partial differential equations; Two-point boundary value problems
 - Box-Muller algorithm for normal deviate 293
 - Bracketing
 - of function minimum 354, 401ff., 413
 - of roots 352, 354ff., 364, 373, 375, 380, 401
 - Branch cut, for hypergeometric function 215f.
 - Branching 8
 - Break iteration 13
 - Brenner, N.M. 511, 527
 - Brent's method
 - minimization 399f., 406ff., 672
 - minimization, using derivative 400, 410
 - root finding 352, 360, 672
 - Broyden-Fletcher-Goldfarb-Shanno algorithm 401, 430ff.
 - Broyden's method 384, 393ff., 396
 - singular Jacobian 396
 - Bubble sort 333
 - Bugs
 - in compilers xiv
 - how to report iv
 - Bulirsch-Stoer
 - algorithm for rational function interpolation 114f.
 - method (differential equations) 214, 276, 713f., 717, 727, 729ff., 737, 751
 - method (differential equations), stepsize control 729f., 737f.
 - for second order equations 737
 - Burg's LP algorithm 573
 - Byte 31
- C** (programming language)
- Numerical Recipes in xvi, 1
- C++ 7
- compilers 3
 - control structures 5
 - deficiencies 16, 23
 - `explicit` keyword 26
 - features 16f.
 - function declaration 17, 931
 - function definition 17
 - header (.h) file 18, 931
 - namespace 18, 931
 - nature of 16f.
 - Numerical Recipes in 1
 - operator associativity 23f.
 - operator precedence 23f.
 - `static` object 19
 - unnamed namespace 19
 - user-defined conversions 20
 - using declaration 19
 - using definition 19
 - `valarray` 20, 27
 - vectors in xi, 3, 20, 25ff., 941, 950, 953
- Calendar algorithms 1f., 12ff.
- Calibration 664
- Cards, sorting a hand of 333
- Carlson's elliptic integrals 266f.
- Cash-Karp parameters 721f.
- Casting types, using C++ constructor 23
- Cauchy probability distribution *see* Lorentzian probability distribution
- Cauchy problem for partial differential equations 829f.
- Cayley's representation of $\exp(-iHt)$ 855
- CCITT (Comité Consultatif International Télégraphique et Téléphonique) 900, 911
- CCITT polynomial 900
- CDROMs, how to order xviii
- Center of mass 309ff.
- Central limit theorem 663f.
- Central tendency, measures of 615ff.
- Change of variable
 - in integration 148ff., 799
 - in Monte Carlo integration 311f.
 - in probability distribution 291ff.
- Characteristic polynomial
 - digital filter 566
 - eigensystems 461, 481
 - linear prediction 572
 - matrix with a specified 379
 - of recurrence relation 186
- Characteristics of partial differential equations 829
- Chebyshev acceleration in successive over-relaxation (SOR) 870f.
- Chebyshev approximation 94, 134, 195, 196ff.
- Clenshaw-Curtis quadrature 202
- Clenshaw's recurrence formula 199
- coefficients for 197
- contrasted with Padé approximation 207
- derivative of approximated function 195, 201
- economization of series 204ff., 207
- for error function 225f.
- even function 200
- and fast cosine transform 524
- gamma functions 247
- integral of approximated function 201
- odd function 200
- polynomial fits derived from 203
- rational function 209ff.
- Remes exchange algorithm for filter 566
- Chebyshev polynomials 161, 196ff.
- continuous orthonormality 196f.
 - discrete orthonormality 197
 - explicit formulas for 196
 - formula for x^k in terms of 205
- Check digit 904
- Checksum 891, 898
 - cyclic redundancy (CRC) 898ff.
- Cherry, sundae without a 821
- Chi-by-eye 662
- Chi-square fitting *see* Fitting; Least squares fitting
- Chi-square probability function 221, 226, 626, 665, 808
 - as boundary of confidence region 699
 - related to incomplete gamma function 226
- Chi-square test 625f.
 - for binned data 625f.
 - chi-by-eye 662

- and confidence limit estimation 699
- for contingency table 634ff.
- degrees of freedom 626f.
- for inverse problems 808
- least squares fitting 664ff.
- nonlinear models 686ff.
- rule of thumb 666
- for straight line fitting 666ff.
- for straight line fitting, errors in both coordinates 671
- for two binned data sets 627
- unequal size samples 628
- Chip rate 304
- Chirp signal 568
- Cholesky decomposition 99ff., 434, 467
 - backsubstitution 100
 - operation count 100
 - pivoting 100
 - solution of normal equations 679
- Circulant 597
- Class
 - as data type 7
 - derived 30, 953
 - implementation of vector and matrix classes 25ff., 941, 950, 953
 - matrix 20ff., 25ff., 941, 950, 953
 - NRMat3d 27
 - NRMat 20ff., 25ff., 941, 950, 953
 - NRVec 20ff., 25ff., 941, 950, 953
 - NRVec as valarray 27
 - vector 20ff., 25ff., 941, 950, 953
 - wrapper 29f., 950, 953
- Clenshaw-Curtis quadrature 134, 202, 522, 524
- Clenshaw's recurrence formula 187ff., 202
 - for Chebyshev polynomials 199
 - stability 187ff.
- Clocking errors 901
- cn function 273
- Coarse-to-fine operator 875
- Coarse-grid correction 875f.
- Coding
 - arithmetic 912ff.
 - checksums 898
 - decoding a Huffman-encoded message 907
 - Huffman 906ff.
 - run-length 911
 - variable length code 906
 - Ziv-Lempel 906
 - see also* Arithmetic coding; Huffman coding
- Coefficients
 - binomial 220
 - for Gaussian quadrature 152ff.
 - for Gaussian quadrature, nonclassical weight function 163f., 799
 - for quadrature formulas 135ff., 799
- Column degeneracy 35
- Column operations on matrix 40, 43f.
- Column totals 635
- Combinatorial minimization *see* Annealing
- Comité Consultatif International Télégraphique et Téléphonique (CCITT) 900, 911
- Communication theory, use in adaptive integration 732
- Communications protocol 898
- Comparison function for rejection method 294f.
- Complementary error function
 - see* Error function
- Complete elliptic integral *see* Elliptic integrals
- Complex arithmetic 182ff.
 - avoidance of in path integration 214
 - cubic equations 191
 - linear equations 52f.
 - quadratic equations 190
- Complex error function 264
- Complex plane
 - fractal structure for Newton's rule 371f.
 - path integration for function evaluation 213ff., 275
 - poles in 114, 172, 214f., 218, 566, 578, 729
- Complex systems of linear equations 52f.
- Compression of data 607, 891, 906ff., 912ff.
- Concordant pair for Kendall's tau 647f.
- Condition number 64, 88
- Confidence level 697f., 701ff.
- Confidence limits
 - bootstrap method 697f.
 - and chi-square 699
 - confidence region, confidence interval 697
 - on estimated model parameters 694ff.
 - by Monte Carlo simulation 695ff.
 - from singular value decomposition (SVD) 703
- Confluent hypergeometric function 216, 251
- Conjugate directions 418f., 425ff.
- Conjugate gradient method
 - biconjugate 87
 - compared to variable metric method 430
 - elliptic partial differential equations 835
 - for minimization 400f., 424ff., 815, 826
 - minimum residual method 88
 - preconditioner 88f.
 - for sparse system 87ff., 610
 - and wavelets 610
- Conservative differential equations 737
- const
 - to protect data 28
 - protects container, not contents 27f., 30f., 949
- const correctness 19f., 27ff., 949
- Constrained linear inversion method 811ff.
- Constrained linear optimization *see* Linear programming
- Constrained optimization 398
- Constraints, deterministic 815ff.
- Constraints, linear 435
- Constructor
 - conversion 29
 - for matrices 26f.
 - for vectors 26, 29
- Contingency coefficient C 635f.
- Contingency table 633ff., 649
 - statistics based on chi-square 634ff.
 - statistics based on entropy 637ff.

- Continued fraction 175ff.
 Bessel functions 245f.
 convergence criterion 177
 equivalence transformation 178
 evaluation 175ff.
 evaluation along with normalization condition 252
 even and odd parts 178, 222, 227
 even part 260, 262
 exponential integral 227
 Fresnel integral 260
 incomplete beta function 232
 incomplete gamma function 222
 Lentz's method 177, 224
 modified Lentz's method 177
 Pincherle's theorem 187
 ratio of Bessel functions 251
 rational function approximation 176, 222, 232
 recurrence for evaluating 176f.
 and recurrence relation 187
 sine and cosine integrals 262
 Steed's method 176f.
 tangent function 175
 typography for 175
- Continuous variable (statistics) 633
- Control structures 7ff.
 bad 14
- Conventions in C++ programs 23ff.
- Convergence
 accelerated, for series 172ff.
 of algorithm for π 916
 criteria for 357, 402f., 415, 495, 500, 689f., 770
 eigenvalues accelerated by shifting 482f.
 golden ratio 358, 411
 of golden section search 402f.
 of Levenberg-Marquardt method 689f.
 linear 357, 404
 of QL method 482f.
 quadratic 60, 362, 368f., 420f., 431, 916
 rate 357, 363f., 368f.
 recurrence relation 187
 of Ridders' method 362
 series vs. continued fraction 176
 and spectral radius 867ff., 873
- Conversions, user-defined 20
- Convex sets, use in inverse problems 815f.
- Convolution
 denoted by asterisk 503
 finite impulse response (FIR) 543
 of functions 503, 514
 of large data sets 548f.
 for multiple precision arithmetic 920f.
 multiplication as 920f.
 necessity for optimal filtering 547
 overlap-add method 549
 overlap-save method 549
 and polynomial interpolation 123
 relation to wavelet transform 597
 theorem 503, 543ff., 558
 theorem, discrete 543ff.
 treatment of end effects 545
 use of FFT 534f., 543ff.
 wraparound problem 545
- Cooley-Tukey FFT algorithm 514
- Co-processor, floating point 896
- Copy, deep 30
- Copyright rules xix
- Cornwell-Evans algorithm 827
- Corporate promotion ladder 340
- Corrected two-pass algorithm 618
- Correction, in multigrid method 874
- Correlation coefficient (linear) 641ff.
- Correlation function 503
 autocorrelation 503, 551f., 570
 and Fourier transforms 503
 theorem 503, 550
 treatment of end effects 551
 using FFT 550f.
 Wiener-Khinchin theorem 503, 579
- Correlation, statistical 614f., 633
 Kendall's tau 645, 647ff.
 linear correlation coefficient 641ff., 669
 linear related to least square fitting 641, 669
 nonparametric or rank statistical 644ff.
 among parameters in a fit 668, 678, 681
 in random number generators 281
 Spearman rank-order coefficient 645f.
 sum squared difference of ranks 645
- Cosine function, recurrence 184
- Cosine integral 259, 261ff.
 continued fraction 262
 routine for 262f.
 series 262
- Cosine transform *see* Fast Fourier transform (FFT); Fourier transform
- Coulomb wave function 216, 245
- Courant condition 840, 843, 845, 847
 multidimensional 857
- Courant-Friedrichs-Lewy stability criterion *see* Courant condition
- Covariance
 a priori 711
 in general linear least squares 678, 682
 matrix, by Cholesky decomposition 101, 678
 matrix, of errors 807, 819
 matrix, is inverse of Hessian matrix 690
 matrix, when it is meaningful 699ff.
 in nonlinear models 690, 692
 relation to chi-square 699ff.
 from singular value decomposition (SVD) 703
 in straight line fitting 668
- CR method *see* Cyclic reduction (CR)
- Cramer's V 635f.
- Crank-Nicolson method 850, 855, 857
- CRC (cyclic redundancy check) 898ff.
- CRC-12 900
- CRC-16 polynomial 900
- CRC-CCITT 900
- Creativity, essay on 8
- Critical (Nyquist) sampling 505, 555
- Cross (denotes matrix outer product) 76
- Crosstabulation analysis 634
see also Contingency table
- Crout's algorithm 47ff., 56
- Cubic equations 189ff., 371

- Cubic spline interpolation 116ff.
see also Spline
- Cumulative binomial distribution 231, 234
- Cumulative Poisson function 226
 related to incomplete gamma function 226
- Curvature matrix *see* Hessian matrix
- Cycle, in multigrid method 876
- Cyclic Jacobi method 471
- Cyclic reduction (CR) 859f., 863f.
- Cyclic redundancy check (CRC) 898ff.
- Cyclic tridiagonal systems 77f.
- D**anielson-Lanczos lemma 509f., 537
- Data
- assigning keys to 899
 - continuous vs. binned 625
 - entropy 637ff., 906f.
 - essay on 614
 - fitting 661ff.
 - fraudulent 666
 - glitches in 664
 - iid (independent and identically distributed) 697
 - modeling 661ff.
 - serial port 902
 - smoothing 615, 655ff.
 - statistical tests 614ff.
 - unevenly or irregularly sampled 581, 586f., 659
 - use of CRCs in manipulating 899
 - windowing 558ff.
see also Statistical tests
- Data compression 607, 891
- arithmetic coding 912ff.
 - cosine transform 524
 - Huffman coding 906ff., 912
 - linear predictive coding (LPC) 576f.
 - lossless 906
- Data Encryption Standard (DES) 304ff.
- Data type 31
- accuracy parameters for 17, 956f.
- DAUB4 597ff., 600, 602f., 605
- DAUB6 598
- DAUB12 609
- DAUB20 602f.
- Daubechies wavelet coefficients 597ff., 601, 602f., 605, 609
- Davidon-Fletcher-Powell algorithm 401, 430f.
- Dawson's integral 264f., 611
- approximation for 264
 - routine for 265
- D.C. (direct current) 503
- Debugging 7
- DEC (Digital Equipment Corp.) xx, 896
- Decomposition *see* Cholesky decomposition;
 LU decomposition; QR decomposition;
 Singular value decomposition (SVD)
- Deconvolution 547, 554
see also Convolution; Fast Fourier transform (FFT); Fourier transform
- Defect, in multigrid method 874
- Deferred approach to the limit *see* Richardson's deferred approach to the limit
- Deflation
- of matrix 483
 - of polynomials 373ff., 381f.
- Degeneracy of linear algebraic equations 35, 64, 68, 681
- Degenerate kernel 796
- Degenerate minimization principle 806
- Degrees of freedom 626f., 665, 701
- Demonstration programs 3
- Derivatives
- computation via Chebyshev approximation 195, 201
 - computation via Savitzky-Golay filters 195, 656
 - matrix of first partial *see* Jacobian determinant
 - matrix of second partial *see* Hessian matrix
 - numerical computation 192ff., 390, 656, 743, 761, 782
 - of polynomial 179f.
 - use in optimization 399f., 410
- Derived class 30, 953
- DES *see* Data Encryption Standard
- Descending transformation, elliptic integrals 267
- Descent direction 387, 394, 431
- Descriptive statistics 614ff.
see also Statistical tests
- Design matrix 656, 676, 806, 811f.
- Determinant 37, 52
- Deviates, random *see* Random deviates
- DFP algorithm *see* Davidon-Fletcher-Powell algorithm
- Diagonal dominance 54, 689, 791, 867
- Difference equations, finite *see* Finite difference equations (FDEs)
- Difference operator 173
- Differential equations 712ff.
- accuracy vs. stability 715, 740
 - Adams-Bashforth-Moulton schemes 752
 - adaptive stepsize control 714, 719ff., 729f., 737f., 743, 748, 753f.
 - algebraically difficult sets 774
 - backward Euler's method 740
 - Bader-Deuffhard method for stiff 741, 746f.
 - boundary conditions 712f., 756ff., 760, 763, 782f.
 - Bulirsch-Stoer method 214, 276, 713f., 717, 727, 729ff., 751
 - Bulirsch-Stoer method for conservative equations 737
 - comparison of methods 713f., 751, 755
 - conservative 737
 - danger of too small stepsize 725
 - eigenvalue problem 759, 775ff., 782ff.
 - embedded Runge-Kutta method 720f., 743
 - equivalence of multistep and multivalued methods 754
 - Euler's method 713, 715, 740
 - forward Euler's method 740
 - free boundary problem 759, 788
 - high-order implicit methods 741ff.
 - implicit differencing 740f., 752

- initial value problems 713
 internal boundary conditions 787ff.
 internal singular points 787ff.
 interpolation on right-hand sides 120
 Kaps-Rentrop method for stiff 741
 local extrapolation 720
 modified midpoint method 727f., 730
 multistep methods 751ff.
 multivalued methods 751
 order of method 715f., 729f.
 path integration for function evaluation
 213ff., 275
 predictor-corrector methods 713, 742,
 751ff.
 reduction to first-order sets 712, 756
 relaxation method 757f., 765ff.
 relaxation method, example of 775ff.
 r.h.s. independent of x 740
 Rosenbrock methods for stiff 741
 Runge-Kutta method 713f., 715ff., 719ff.,
 742, 751
 Runge-Kutta method, high-order 716
 Runge-Kutta-Fehlberg method 720f.
 scaling stepsize to required accuracy 721f.
 second order 737
 semi-implicit differencing 741
 semi-implicit Euler method 741, 746
 semi-implicit extrapolation method 741,
 746
 semi-implicit midpoint rule 746
 shooting method 757, 760ff.
 shooting method, example 782ff.
 similarity to Volterra integral equations
 796f.
 singular points 729f., 763, 787ff.
 step doubling 720
 stepsize control 714, 719ff., 729, 737f.,
 743, 748, 753f.
 stiff 714, 739ff.
 stiff methods compared 750
 Stoermer's rule 737
see also Partial differential equations; Two-
 point boundary value problems
 Diffusion equation 829, 849ff., 866
 Crank-Nicolson method 850, 855, 857
 Forward Time Centered Space (FTCS)
 849ff., 852f., 866
 implicit differencing 850
 multidimensional 857f.
 Digamma function 227
 Digital filtering *see* Filter
 Dihedral group D_5 904
 Dimensions (units) 689
 Diminishing increment sort 334
 Dirac delta function 297, 791
 Direct method *see* Periodogram
 Direct methods for linear algebraic equations
 38
 Direct product *see* Outer product of matrices
 Direction of largest decrease 421f.
 Direction numbers, Sobol's sequence 315
 Direction-set methods for minimization 400,
 417ff.
 Dirichlet boundary conditions 831, 851, 861,
 867, 869
 Disclaimer of warranty xvii
 Discordant pair for Kendall's tau 648
 Discrete convolution theorem 543ff.
 Discrete Fourier transform (DFT) 505ff.
 as approximate continuous transform 508
 see also Fast Fourier transform (FFT)
 Discrete optimization 448ff.
 Discriminant 190, 469
 Dispersion 842
 DISPO *see* Savitzky-Golay filters
 Dissipation, numerical 841
 Divergent series 173
 Division
 complex 183
 multiple precision 922
 of polynomials 181, 373, 381
 dn function 273
 Do-while iteration 13
 Dogleg step methods 396
 Domain of integration 166f.
 Dominant solution of recurrence relation 185
 Dot (denotes matrix multiplication) 36
 Double exponential error distribution 706
 Double precision
 as default 17, 957
 as refuge of scoundrels 892
 DP type 3, 17, 22, 939, 957
 Double root 352
 Downhill simplex method *see* Simplex, method
 of Nelder and Mead
 DP type (double precision) 3, 17, 22, 939,
 957
 Driver programs 3
 Dual viewpoint, in multigrid method 885
 Duplication theorem, elliptic integrals 267
 DWT (discrete wavelet transform) *see* Wavelet
 transform
Eardley, D.M. 349
 EBCDIC 900
 Economization of power series 204ff., 207
 Eigensystems 461ff.
 balancing matrix 488
 bounds on eigenvalues 61
 calculation of few eigenvectors or eigenval-
 ues 466, 499
 canned routines 466
 characteristic polynomial 461, 481
 completeness 462
 defective 462, 488, 499
 deflation 483
 degenerate eigenvalues 461, 463
 elimination method 465, 490
 factorization method 465
 fast Givens reduction 475
 generalized eigenproblem 467
 Givens reduction 474f.
 Hermitian matrix 486f.
 Hessenberg matrix 465, 482, 487ff., 499
 Householder transformation 465, 474ff.,
 481, 485, 486, 490
 ill-conditioned eigenvalues 488
 implicit shifts 483ff.
 and integral equations 790ff., 796
 invariance under similarity transform 464

- inverse iteration 467, 481, 488, 498ff.
 Jacobi transformation 465, 468ff., 475, 486, 500
 left eigenvalues 463
 list of tasks 466
 multiple eigenvalues 500
 nonlinear 467
 nonsymmetric matrix 487ff.
 operation count of balancing 488
 operation count of Givens reduction 475
 operation count of Householder reduction 479
 operation count of inverse iteration 499
 operation count of Jacobi method 472
 operation count of QL method 482, 485
 operation count of QR method for Hessenberg matrices 495
 operation count of reduction to Hessenberg form 490
 orthogonality 462
 polynomial roots and 379
 QL method 481ff., 486, 499f.
 QL method with implicit shifts 483ff.
 QR method 63, 465, 468, 481ff.
 QR method for Hessenberg matrices 491ff.
 real, symmetric matrix 162, 479, 796
 reduction to Hessenberg form 489f.
 right eigenvalues 463
 shifting eigenvalues 461, 482f., 492
 special matrices 466
 termination criterion 495, 500
 tridiagonal matrix 465, 481ff., 499
 Eigenvalue and eigenvector, defined 461
 Eigenvalue problem for differential equations 759, 775ff., 782, 784
 Eigenvalues and polynomial root finding 379
 EISPACK 466, 487
 Electromagnetic potential 530
 Elimination *see* Gaussian elimination
 Ellipse in confidence limit estimation 699
 Elliptic integrals 265ff., 917
 addition theorem 267
 Carlson's forms and algorithms 266ff.
 Cauchy principal value 268
 duplication theorem 267
 Legendre 266ff., 271ff.
 routines for 268ff.
 symmetric form 266f.
 Weierstrass 266
 Elliptic partial differential equations 829
 alternating-direction implicit method (ADI) 872f., 917
 analyze/factorize/operate package 835
 biconjugate gradient method 835
 boundary conditions 830f.
 comparison of rapid methods 865
 conjugate gradient method 835
 cyclic reduction 859f., 863f.
 Fourier analysis and cyclic reduction (FACR) 859ff., 865
 Gauss-Seidel method 866, 875ff., 886
 incomplete Cholesky conjugate gradient method (ICCG) 835
 Jacobi's method 866f., 875
 matrix methods 835
 multigrid method 835, 873ff.
 rapid (Fourier) method 835, 859ff.
 relaxation method 834, 865ff.
 strongly implicit procedure 835
 successive over-relaxation (SOR) 868ff., 873, 877
 Emacs, GNU xiv
 Embedded Runge-Kutta method 720f., 743
 Encapsulation, in programs 7f.
 Encryption 304
 Entropy 906f.
 of data 637ff., 822
 EOM (end of message) 912
 Equality constraints 435
 Equations
 cubic 189ff., 371
 normal (fitting) 656, 677ff., 812
 quadratic 32, 189ff.
 see also Differential equations; Partial differential equations; Root finding
 Equivalence classes 348f.
 Equivalence transformation 178
 Error
 checksums for preventing 901
 clocking 901
 double exponential distribution 706
 local truncation 885
 Lorentzian distribution 707
 in multigrid method 874
 nonnormal 664, 700, 704ff.
 relative truncation 885
 roundoff 191, 891f.
 series, advantage of an even 143, 728
 systematic vs. statistical 664
 truncation 33, 192, 411, 720, 891f.
 varieties found by check digits 904
 varieties of, in PDEs 842ff.
 see also Roundoff error
 Error function 220f., 612
 approximation via sampling theorem 612
 Chebyshev approximation 225f.
 complex 264
 for Fisher's z-transformation 643
 relation to Dawson's integral 264
 relation to Fresnel integrals 260
 relation to incomplete gamma function 225
 routine for 225f.
 for significance of correlation 641
 for sum squared difference of ranks 646
 Error handling in programs 2, 941
 Estimation of parameters *see* Fitting; Maximum likelihood estimate
 Estimation of power spectrum 555ff., 577ff.
 Euler equation (fluid flow) 842
 Euler-Maclaurin summation formula 143, 146
 Euler's constant 228f., 262
 Euler's method for differential equations 713, 715, 740
 Euler's transformation 172ff.
 generalized form 174f.
 Evaluation of functions *see* Function
 Even and odd parts, of continued fraction 178, 222, 227
 Even parity 898

- Exception handling in programs 2, 941
 exit() function 2
 Explicit differencing 838
 explicit keyword 26
 Exponent in floating point format 31, 892
 Exponential deviate 291f.
 Exponential integral 227ff.
 asymptotic expansion 229
 continued fraction 227
 recurrence relation 184
 related to incomplete gamma function 227
 relation to cosine integral 262
 routine for $Ei(x)$ 230
 routine for $E_n(x)$ 228f.
 series 227
 Exponential probability distribution 582
 Extended midpoint rule 135, 140, 146
 Extended precision, use in iterative improvement 58
 Extended Simpson's rule 138, 798, 801
 Extended Simpson's three-eighths rule 799
 Extended trapezoidal rule 135, 138, 141ff., 146, 797
 roundoff error 143
 Extirpation (so-called) 586f.
 Extrapolation 108ff.
 in Bulirsch-Stoer method 729ff., 736
 differential equations 713
 by linear prediction 569ff.
 local 720
 maximum entropy method as type of 579
 polynomial 733, 735, 751
 rational function 729ff., 736
 relation to interpolation 108
 for Romberg integration 144
 see also Interpolation
 Extremization *see* Minimization
- F**-distribution probability function 231, 234
 F-test for differences of variances 622, 624
 FACR *see* Fourier analysis and cyclic reduction (FACR)
 Facsimile standard 911
 Factorial
 double (denoted "!!") 258
 evaluation of 171
 relation to gamma function 218
 routine for 219f.
 False position 358ff.
 Family tree 349
 FAS (full approximation storage algorithm) 884ff.
 Fast Fourier transform (FFT) 509ff., 891
 alternative algorithms 513f.
 applications 542ff.
 as approximation to continuous transform 508
 Bartlett window 559
 bit reversal 510f., 536
 and Clenshaw-Curtis quadrature 202
 convolution 514, 534f., 543ff., 921
 convolution of large data sets 548f.
 Cooley-Tukey algorithm 514
 correlation 550f.
 cosine transform 202, 522ff., 862f.
 cosine transform, second form 524, 863
 Danielson-Lanczos lemma 509f., 537
 data sets not a power of 2 514
 data smoothing 655
 data windowing 558ff.
 decimation-in-frequency algorithm 514
 decimation-in-time algorithm 514
 discrete autocorrelation 551f.
 discrete convolution theorem 543ff.
 discrete correlation theorem 550
 at double frequency 587
 endpoint corrections 590f.
 external storage 536f.
 figures of merit for data windows 559
 filtering 563ff.
 FIR filter 564f.
 Fourier integrals 589ff.
 Fourier integrals, infinite range 595
 Hamming window 559
 Hann window 559
 history 509
 IIR filter 565f.
 image processing 814, 816
 integrals using 134
 inverse of cosine transform 518f.
 inverse of sine transform 522
 large data sets 536f.
 leakage 557
 memory-local algorithm 540
 multidimensional 526ff.
 for multiple precision arithmetic 916
 for multiple precision multiplication 921
 number-theoretic transforms 514
 operation count 509
 optimal (Wiener) filtering 552ff., 570f.
 order of storage in 512
 partial differential equations 835, 859ff.
 Parzen window 559
 periodicity of 508
 periodogram 556ff., 579
 power spectrum estimation 555ff.
 for quadrature 134
 of real data in 2D and 3D 530ff.
 of real functions 515ff., 530ff.
 related algorithms 513f.
 Sande-Tukey algorithm 514
 sine transform 519ff., 861
 Singleton's algorithm 536f.
 square window 558
 treatment of end effects in convolution 545
 treatment of end effects in correlation 551
 Tukey's trick for frequency doubling 587
 use in smoothing data 655
 used for Lomb periodogram 586f.
 variance of power spectrum estimate 557, 561
 virtual memory machine 540
 Welch window 559
 Winograd algorithms 514
 see also Discrete Fourier transform (DFT);
 Fourier transform; Spectral density
 Faure sequence 314
 Fax (facsimile) Group 3 standard 911
 Feasible vector 435

- FFT *see* Fast Fourier transform (FFT)
- Field, in data record 341
- Figure-of-merit function 661
- Filon's method 595
- Filter 563ff.
 - acausal 564
 - bilinear transformation method 566
 - causal 564, 655
 - characteristic polynomial 566
 - data smoothing 655
 - digital 563ff.
 - DISPO 655
 - by fast Fourier transform (FFT) 534f., 563ff.
 - finite impulse response (FIR) 543, 564f.
 - homogeneous modes of 566
 - infinite impulse response (IIR) 565f., 578
 - Kalman 711
 - linear 564ff.
 - low-pass for smoothing 655
 - nonrecursive 564f.
 - optimal (Wiener) 547, 552ff., 570f., 655
 - quadrature mirror 597, 604
 - realizable 564, 567
 - recursive 565f., 578
 - Remes exchange algorithm 566
 - Savitzky-Golay 195, 655ff.
 - stability of 566
 - in the time domain 563ff.
- Fine-to-coarse operator 875
- Finite difference equations (FDEs) 765, 774, 786
 - alternating-direction implicit method (ADI) 858, 872f.
 - art, not science 840
 - Cayley's form for unitary operator 855
 - Courant condition 840, 843, 847
 - Courant condition (multidimensional) 857
 - Crank-Nicolson method 850, 855, 857
 - eigenmodes of 838f.
 - explicit vs. implicit schemes 838
 - forward Euler 837f.
 - Forward Time Centered Space (FTCS) 838f., 849ff., 854, 866
 - implicit scheme 850
 - Lax method 839ff., 847
 - Lax method (multidimensional) 856f.
 - mesh drifting instability 845f.
 - numerical derivatives 192
 - partial differential equations 832ff.
 - in relaxation methods 765ff.
 - staggered leapfrog method 844f.
 - two-step Lax-Wendroff method 846ff.
 - upwind differencing 843f., 848
 - see also* Partial differential equations
- Finite element methods, partial differential equations 835f.
- Finite impulse response (FIR) 543
- Finkelstein, S. xiii
- FIR (finite impulse response) filter 564f.
- Fisher's z-transformation 642f.
- Fitting 661ff.
 - basis functions 676
 - by Chebyshev approximation 197f.
 - chi-square 664ff.
 - confidence levels related to chi-square values 701ff.
 - confidence levels from singular value decomposition (SVD) 703
 - confidence limits on fitted parameters 694ff.
 - covariance matrix not always meaningful 662, 700
 - degeneracy of parameters 685
 - an exponential 684
 - freezing parameters in 679, 711
 - Gaussians, a sum of 692f.
 - general linear least squares 676ff.
 - Kalman filter 711
 - K-S test, caution regarding 632
 - least squares 662ff.
 - Legendre polynomials 685
 - Levenberg-Marquardt method 688ff., 827
 - linear regression 666ff.
 - maximum likelihood estimation 663, 704ff.
 - Monte Carlo simulation 632, 665, 695ff.
 - multidimensional 686
 - nonlinear models 686ff.
 - nonlinear models, advanced methods 693
 - nonlinear problems that are linear 684
 - nonnormal errors 667, 700, 704ff.
 - polynomial 93, 123, 203, 655f., 676, 685f.
 - by rational Chebyshev approximation 209ff.
 - robust methods 704ff.
 - of sharp spectral features 578
 - standard (probable) errors on fitted parameters 668, 672f., 678, 682, 694ff.
 - straight line 666ff., 678f., 708f.
 - straight line, errors in both coordinates 671ff.
 - see also* Error; Least squares fitting; Maximum likelihood estimate; Robust estimation
- Five-point difference star 878
- Fixed point format 31
- Fletcher-Powell algorithm *see* Davidon-Fletcher-Powell algorithm
- Fletcher-Reeves algorithm 400f., 425ff.
- Floating point co-processor 896
- Floating point format 31, 892
 - care in numerical derivatives 192
 - IEEE 289, 893
- Flux-conservative initial value problems 836ff.
- FMG (full multigrid method) 874, 879f.
- for iteration 9
- Formats of numbers 31, 892
- Fortran 16, 21
 - Numerical Recipes in xvi, 1
- Forward deflation 374
- Forward difference operator 173
- Forward Euler differencing 837f.
- Forward Time Centered Space *see* FTCS
- Fourier analysis and cyclic reduction (FACR) 860, 865
- Fourier integrals
 - attenuation factors 595
 - endpoint corrections 590f.
 - tail integration by parts 595
 - use of fast Fourier transform (FFT) 589ff.
- Fourier and spectral applications 542ff.

- Fourier transform 108, 501ff.
 aliasing 506, 581
 approximation of Dawson's integral 264
 autocorrelation 503
 basis functions compared 519f.
 contrasted with wavelet transform 596, 605
 convolution 503, 514, 543ff., 921
 correlation 503, 550f.
 cosine transform 202, 522ff., 862f.
 cosine transform, second form 524, 863
 critical sampling 505, 555, 557
 definition 501
 discrete Fourier transform (DFT) 196, 505ff.
 Gaussian function 611
 image processing 814, 816
 infinite range 595
 inverse of discrete Fourier transform 508
 method for partial differential equations 859ff.
 missing data 581
 missing data, fast algorithm 586f.
 Nyquist frequency 505ff., 530, 555, 557, 581, 584
 optimal (Wiener) filtering 552ff., 570f.
 Parseval's theorem 503, 509, 556
 power spectral density (PSD) 503f.
 power spectrum estimation by FFT 555ff.
 power spectrum estimation by maximum entropy method 577ff.
 properties of 502f.
 sampling theorem 506, 555, 557, 611f.
 scalings of 502
 significance of a peak in 582f.
 sine transform 519ff., 861
 symmetries of 502
 uneven sampling, fast algorithm 586f.
 unevenly sampled data 580ff., 586f. and wavelets 603f.
 Wiener-Khinchin theorem 503, 571, 579
 see also Fast Fourier transform (FFT); Spectral density
- Fractal region 371f.
 Fractional step methods 858f.
 Fredholm alternative 791
 Fredholm equations 790f.
 eigenvalue problems 791, 796
 error estimate in solution 795
 first kind 790
 Fredholm alternative 791
 homogeneous vs. inhomogeneous 791
 homogeneous, second kind 795f.
 ill-conditioned 791
 infinite range 800
 inverse problems 791, 806ff.
 kernel 790f.
 nonlinear 792
 Nystrom method 793ff., 799f.
 product Nystrom method 799
 second kind 791, 793f.
 with singularities 799
 with singularities, worked example 803
 subtraction of singularity 800
 symmetric kernel 796
 see also Inverse problems
- Frequency domain 501
 Frequency spectrum *see* Fast Fourier transform (FFT)
 Frequentist, contrasted with Bayesian 821
 Fresnel integrals 259ff.
 asymptotic form 260
 continued fraction 260
 routine for 260f.
 series 259
 Friday the Thirteenth 13f.
 FTCS (forward time centered space) 838ff., 849ff., 854
 stability of 838ff., 849ff., 866
 Full approximation storage (FAS) algorithm 884ff.
 Full moon 13f.
 Full multigrid method (FMG) 874, 879f.
 Full Newton methods, nonlinear least squares 693
 Full pivoting 41
 Full weighting 878
 Function
 Airy 216, 245, 255
 approximation 108f., 196ff.
 associated Legendre polynomial 257f., 775
 autocorrelation of 503
 bandwidth limited 506
 Bessel 184, 216, 235ff., 245ff.
 beta 220f.
 branch cuts of 215f.
 chi-square probability 226, 808
 complex 213
 confluent hypergeometric 216, 251
 convolution of 503
 correlation of 503
 Coulomb wave 216, 245
 cumulative binomial probability 231, 234
 cumulative Poisson 221
 Dawson's integral 264f., 611
 declaration 17, 931
 definition 17
 digamma 227
 elliptic integrals 265ff., 917
 error 225f., 260, 264, 612, 641, 646
 evaluation 171ff.
 evaluation by path integration 213ff., 275
 exponential integral 184, 227ff., 262
 F-distribution probability 231, 234
 Fresnel integral 259ff.
 gamma 218f.
 header 17, 931
 hypergeometric 214ff., 275ff.
 incomplete beta 231ff., 621
 incomplete gamma 221ff., 626, 665, 668f.
 inverse hyperbolic 190, 267
 inverse trigonometric 267
 Jacobian elliptic 265, 273f.
 Kolmogorov-Smirnov probability 629f., 651f.
 Legendre polynomial 184, 257f., 685
 logarithm 267
 modified Bessel 241ff.
 modified Bessel, fractional order 251ff.

- path integration to evaluate 213ff.
- pathological 109, 354f.
- pointer to, passed as argument 23
- Poisson cumulant 226
- prototype 17, 931
- representations of 501
- routine for plotting a 353f.
- sine and cosine integrals 259, 261ff.
- sn, dn, cn 273
- spherical Bessel 245
- spherical harmonics 257f.
- spheroidal harmonic 775ff., 782ff.
- Student's probability 231, 233
- Weber 216
- Functional iteration, for implicit equations 751
- FWHM (full width at half maximum) 560

- G++** 4
- Gamma deviate 294ff.
- Gamma function 218ff.
 - incomplete *see* Incomplete gamma function
- Gauss-Chebyshev integration 153, 156, 161, 522, 524
- Gauss-Hermite integration 156, 800
 - abscissas and weights 159
 - normalization 159
- Gauss-Jacobi integration 156
 - abscissas and weights 160
- Gauss-Jordan elimination 39ff., 44, 74
 - operation count 45, 51
 - solution of normal equations 678
 - storage requirements 41f.
- Gauss-Kronrod quadrature 165
- Gauss-Laguerre integration 156, 800
- Gauss-Legendre integration 156
 - see also* Gaussian integration
- Gauss-Lobatto quadrature 165, 202, 522
- Gauss-Radau quadrature 165
- Gauss-Seidel method (relaxation) 866, 868, 875ff.
 - nonlinear 886
- Gauss transformation 267
- Gaussian (normal) distribution 279, 663, 809
 - central limit theorem 663f.
 - deviates from 292f., 583
 - kurtosis of 617
 - multivariate 701
 - semi-invariants of 619
 - tails compared to Poisson 664
 - two-dimensional (binormal) 642
 - variance of skewness of 617
- Gaussian elimination 44f., 62, 66
 - fill-in 56, 74
 - integral equations 797
 - operation count 45
 - in reduction to Hessenberg form 490
 - relaxation solution of boundary value problems 765ff., 789
- Gaussian function
 - Hardy's theorem on Fourier transforms 611
 - see also* Gaussian (normal) distribution
- Gaussian integration 137, 152ff., 800
 - calculation of abscissas and weights 155ff.
 - error estimate in solution 795
 - extensions of 165
 - Golub-Welsch algorithm for weights and abscissas 162
 - for integral equations 792, 794
 - from known recurrence relation 161f.
 - nonclassical weight function 163f., 799
 - and orthogonal polynomials 154
 - preassigned nodes 165
 - weight function $\log x$ 165
 - weight functions 152ff., 799
- Gear's method (stiff ODEs) 742
- Geiger counter 278
- Generalized eigenvalue problems 467
- Generalized minimum residual method (GMRES) 88
- Geophysics, use of Backus-Gilbert method 820
- Gerchberg-Saxton algorithm 816f.
- Gilbert and Sullivan 725
- Givens reduction 474f., 485
 - fast 475
 - operation count 475
- Glassman, A.J. 191
- Global optimization 398f., 448ff., 661
 - continuous variables 455f.
- Global variables 23
- Globally convergent
 - minimization 430ff.
 - root finding 384, 387ff., 394, 760f., 763
- GMRES (generalized minimum residual method) 88
- GNU
 - C++ 4
 - Emacs xiv
- Godunov's method 848
- Golden mean (golden ratio) 33, 358, 403, 411
- Golden section search 352, 400ff., 407
- Golub-Welsch algorithm, for Gaussian quadrature 162
- Goodness-of-fit 661, 665, 668f., 673, 701
- goto statements, danger of 9
- Gram-Schmidt
 - biorthogonalization 425f.
 - orthogonalization 103, 462f.
 - SVD as alternative to 69
- Graphics, function plotting 353f.
- Gravitational potential 530
- Gray code 315, 891, 896ff.
- Greenbaum, A. 89
- Gregorian calendar 12, 15
- Grid square 126f.
- Group, dihedral 904
- Guard digits 892

- H**alf weighting 878
- Halton's quasi-random sequence 313f.
- Hamming window 559
- Hamming's motto 352
- Hann window 559
- Harmonic analysis *see* Fourier transform
- Hashing 307

- HDLC checksum 900
 Header (.h) files 18, 931
 Headers in C++ 17, 931
 Heap (data structure) 339f., 348, 907
 Heapsort 332, 339f., 348
 Helmholtz equation 863
 Hermite polynomials 156, 159
 Hermitian matrix 462ff., 486f.
 Hertz (unit of frequency) 501
 Hessenberg matrix 104, 465, 482, 487ff., 499
 see also Matrix
 Hessian matrix 393, 419, 426, 431, 687ff.,
 815, 826
 is inverse of covariance matrix 678, 690
 second derivatives in 688
 Hexadecimal constants 289, 307
 Hierarchically band diagonal matrix 609f.
 Hierarchy of program structure 5ff.
 High-order not same as high-accuracy 109f.,
 134, 400, 410, 716, 720, 752
 High-pass filter 563
 Hilbert matrix 93
 Historic maximum entropy method 828
 Homogeneous linear equations 64
 Hook step methods 396
 Hotelling's method for matrix inverse 60, 610
 Householder transformation 63, 465, 474ff.,
 481, 485, 486, 490, 493ff.
 operation count 479
 in QR decomposition 102
 Huffman coding 576, 891, 906ff., 912
 Hyperbolic functions, explicit formulas for
 inverse 190
 Hyperbolic partial differential equations 829
 advective equation 837
 flux-conservative initial value problems
 836ff.
 Hypergeometric function 214ff., 275ff.
 routine for 276f.
 Hypothesis, null 614
- I**M xx
 bad random number generator 281
 radix base for floating point arithmetic
 488
 RS/6000 4
 IBM checksum 904
 ICCG (incomplete Cholesky conjugate gradient
 method) 835
 ICF (intrinsic correlation function) model 828
 Identity (unit) matrix 37
 IEEE floating point format 289, 893
 if structure 9
 warning about nesting 9
 IIR (infinite impulse response) filter 565f.,
 578
 Ill-conditioned integral equations 791
 Image processing 530, 814
 cosine transform 524
 fast Fourier transform (FFT) 530, 534f.,
 814
 as an inverse problem 814
 maximum entropy method (MEM) 821ff.
 from modulus of Fourier transform 816
 wavelet transform 607f.
- Implicit
 function theorem 351
 pivoting 41
 shifts in QL method 483ff.
 Implicit differencing 838
 for diffusion equation 850
 for stiff equations 740f., 752
 Importance sampling, in Monte Carlo 320f.
 Improper integrals 146ff.
 Impulse response function 543, 554, 564
 IMSL xx, 38, 75, 217, 375, 380, 466
 In-place selection 346
 Include files 18, 931
 Incomplete beta function 231ff.
 for F-test 624
 routine for 232f.
 for Student's t 621, 623
 Incomplete Cholesky conjugate gradient method
 (ICCG) 835
 Incomplete gamma function 221
 for chi-square 626, 665, 668f.
 deviates from 294ff.
 in mode estimation 621
 routine for 223f.
 Increment of linear congruential generator
 280
 Indentation of blocks 12
 Index 972ff.
 this entry 984
 Index table 332, 341
 Inequality constraints 435
 Inheritance 8
 Initial value problems 713, 829f.
 see also Differential equations;
 Partial differential equations
 Injection operator 875
 Instability *see* Stability
 Integer programming 447
 Integral equations 790ff.
 adaptive stepsize control 799
 block-by-block method 799
 correspondence with linear algebraic equa-
 tions 790ff.
 degenerate kernel 796
 eigenvalue problems 791, 796
 error estimate in solution 795
 Fredholm 790f., 793f.
 Fredholm alternative 791
 homogeneous, second kind 795f.
 ill-conditioned 791
 infinite range 800
 inverse problems 791, 806ff.
 kernel 790f.
 nonlinear 792, 798
 Nystrom method 793f., 799
 product Nystrom method 799
 with singularities 799ff.
 with singularities, worked example 803
 subtraction of singularity 800
 symmetric kernel 796
 unstable quadrature 798
 Volterra 791f., 796f.
 wavelets 793
 see also Inverse problems

- Integral operator, wavelet approximation of
609, 793
- Integration of functions 133ff.
cosine integrals 261
Fourier integrals 589ff.
Fourier integrals, infinite range 595
Fresnel integrals 259
Gauss-Hermite 159
Gauss-Jacobi 160
Gauss-Laguerre 158
Gauss-Legendre 156
integrals that are elliptic integrals 265f.
path integration 213ff.
sine integrals 261
see also Quadrature
- Integro-differential equations 793
- Intel 4
- Intent in/out/inout 21
- Interface, in programs 7, 18, 931
- Intermediate value theorem 354
- Interpolation 108ff.
Aitken's algorithm 111
avoid 2-stage method 109
avoid in Fourier analysis 581
bicubic 128f.
bilinear 126f.
caution on high-order 109f.
coefficients of polynomial 109, 123ff.,
203, 586f.
for computing Fourier integrals 591
error estimates for 109
of functions with poles 114ff.
inverse quadratic 364, 406ff.
multidimensional 111, 126ff.
in multigrid method 878
Neville's algorithm 111f., 194
Nystrom 794
operation count for 109
operator 875
order of 109
and ordinary differential equations 110
oscillations of polynomial 109, 123, 400,
410
parabolic, for minimum finding 406f.
polynomial 108, 111ff., 194
rational Chebyshev approximation 209ff.
rational function 108, 114ff., 206ff., 236f.,
729ff., 736
reverse (extrapolation) 586f.
spline 109, 116ff., 130f.
on sub-range of an array 113, 122
trigonometric 108
see also Fitting
- Interval variable (statistics) 633
- Intrinsic correlation function (ICF) model 828
- Inverse hyperbolic function 190, 267
- Inverse iteration *see* Eigensystems
- Inverse problems 791, 806ff.
Backus-Gilbert method 818ff.
Bayesian approach 810, 822, 828
central idea 810
constrained linear inversion method 811ff.
data inversion 818
deterministic constraints 815ff.
in geophysics 820
Gerchberg-Saxton algorithm 816f.
incomplete Fourier coefficients 824
and integral equations 791
linear regularization 811ff.
maximum entropy method (MEM) 821ff.,
826f.
MEM demystified 825
Phillips-Twomey method 811ff.
principal solution 808
regularization 807ff.
regularizing operator 809
stabilizing functional 809
Tikhonov-Miller regularization 811ff.
trade-off curve 806
trade-off curve, Backus-Gilbert method
820
two-dimensional regularization 814
use of conjugate gradient minimization
815, 826
use of convex sets 815f.
use of Fourier transform 814, 816
Van Cittert's method 815
- Inverse quadratic interpolation 364, 406ff.
- Inverse response kernel, in Backus-Gilbert
method 818f.
- Inverse trigonometric function 267
- ISBN (International Standard Book Number)
checksum 904
- Iterated integrals 167
- Iteration 9
functional 751
to improve solution of linear algebraic
equations 58ff., 207
for linear algebraic equations 38
required for two-point boundary value
problems 756
in root finding 351f.
- Iteration matrix 867
- ITPACK 81
- J**acobi matrix, for Gaussian quadrature 162
- Jacobi transformation (or rotation) 104, 465,
468ff., 475, 486, 500
- Jacobian determinant 292f., 786
- Jacobian elliptic functions 265, 273f.
- Jacobian matrix 385, 387, 390, 393, 743
singular in Newton's rule 396
- Jacobi's method (relaxation) 866ff., 875
- Jenkins-Traub method 380
- Julian Day 1f., 12, 14f.
- Jump transposition errors 904
- K**-S test *see* Kolmogorov-Smirnov test
- KAI C++ 4
- Kalman filter 711
- Kaps-Rentrop method 741
- Kendall's tau 645, 647ff.
- Kermit checksum 899
- Kernel 790f.
averaging, in Backus-Gilbert method 818f.
degenerate 796
finite rank 796
inverse response 818f.

- separable 796
- singular 799f.
- symmetric 795f.
- Keys used in sorting 341, 899
- Kolmogorov-Smirnov test 625, 628ff., 705
 - two-dimensional 650ff.
 - variants 631ff., 650ff.
- Kuiper's statistic 632
- Kurtosis 617, 619

- L**-estimate 705
- Labels, named statement 9
- Lag 503, 550f., 566
- Lagrange multiplier 806
- Lagrange's formula for polynomial interpolation 94, 111, 586f., 590
- Laguerre's method 352, 371ff.
- Lanczos lemma 509f.
- Lanczos method for gamma function 218
- Landen transformation 267
- LAPACK 38
- Laplace's equation 257, 829
 - see also* Poisson equation
- Las Vegas 636
- Latin square or hypercube 319
- Laurent series 578
- Lax method 839ff., 847, 856f.
 - multidimensional 856f.
- Lax-Wendroff method 846ff.
- Leakage in power spectrum estimation 557, 559f.
- Leakage width 559f.
- Leapfrog method 844f.
- Least squares filters *see* Savitzky-Golay filters
- Least squares fitting 655f., 662ff., 666ff., 671ff., 676ff.
 - contrasted to general minimization problems 693
 - degeneracies in 682, 685
 - Fourier components 582
 - freezing parameters in 679, 711
 - general linear case 676ff.
 - Levenberg-Marquardt method 688ff., 827
 - Lomb periodogram 582
 - as maximum likelihood estimator 663
 - as M-estimate for normal errors 706
 - as method for smoothing data 655f.
 - multidimensional 686
 - nonlinear 396, 686ff., 827
 - nonlinear, advanced methods 693
 - normal equations 656, 677ff., 812
 - normal equations often singular 681, 685
 - optimal (Wiener) filtering 552
 - QR method in 103, 679
 - for rational Chebyshev approximation 211
 - relation to linear correlation 641, 669
 - Savitzky-Golay filter as 655f.
 - singular value decomposition (SVD) 37f., 62ff., 211, 681ff.
 - skewed by outliers 664
 - for spectral analysis 582
 - standard (probable) errors on fitted parameters 678, 682
 - weighted 663
 - see also* Fitting
 - L'Ecuyer's long period random generator 284ff.
 - Left eigenvalues or eigenvectors 463
 - Legal matters xvii
 - Legendre elliptic integral *see* Elliptic integrals
 - Legendre polynomials 257f.
 - fitting data to 685
 - recurrence relation 184
 - shifted monic 165
 - see also* Associated Legendre polynomials; Spherical harmonics
 - Lehmer-Schur algorithm 380
 - Lemarie's wavelet 605
 - Lentz's method for continued fraction 177, 224
 - Lepage, P. 323
 - Leptokurtic distribution 617
 - Levenberg-Marquardt algorithm 396, 688ff., 827
 - advanced implementation 693
 - Levinson's method 95f.
 - Lewis, H.W. 289
 - Library
 - matrix/vector xi, 20ff., 25ff., 941, 950, 953
 - user-defined for arrays 28ff., 949
 - License information xvii
 - Limbo 368
 - Limit cycle, in Laguerre's method 376
 - Line minimization *see* Minimization, along a ray
 - Line search *see* Minimization, along a ray
 - Linear algebraic equations 35ff.
 - band diagonal 55ff.
 - biconjugate gradient method 87f.
 - Cholesky decomposition 99ff., 434, 467, 679
 - complex 52f.
 - computing $\mathbf{A}^{-1} \cdot \mathbf{B}$ 51
 - conjugate gradient method 87ff., 610
 - cyclic tridiagonal 77f.
 - direct methods 38, 74
 - Gauss-Jordan elimination 39ff.
 - Gaussian elimination 44f.
 - Hilbert matrix 93
 - Hotelling's method 60, 610
 - and integral equations 790ff., 794
 - iterative improvement 58ff., 207
 - iterative methods 38, 87ff.
 - large sets of 36
 - least squares solution 65, 68f., 211, 681
 - LU decomposition 46ff., 207, 396, 743, 794, 797, 812
 - nonsingular 36
 - overdetermined 37f., 211, 681, 808
 - partitioned 80f.
 - QR decomposition 101f., 393, 396, 679
 - row vs. column elimination 43f.
 - Schultz's method 60, 610
 - Sherman-Morrison formula 76ff., 93
 - singular 35, 64, 69, 211, 681
 - singular value decomposition (SVD) 62ff., 211, 681ff., 808
 - sparse 36, 55ff., 74ff., 743, 815
 - summary of tasks 37
 - Toeplitz 93, 95ff., 207

- Vandermonde 93ff., 123
 - wavelet solution 609f., 793
 - Woodbury formula 78ff., 93
 - see also* Eigensystems
 - Linear congruential random number generator 280f.
 - choice of constants for 288
 - Linear constraints 435
 - Linear convergence 357, 404
 - Linear correlation (statistics) 641ff.
 - Linear dependency
 - constructing orthonormal basis 69, 103
 - of directions in N -dimensional space 420
 - in linear algebraic equations 35f.
 - Linear equations *see* Differential equations; Integral equations; Linear algebraic equations
 - Linear inversion method, constrained 811ff.
 - Linear prediction 569ff.
 - characteristic polynomial 572
 - coefficients 569ff.
 - compared with regularization 812
 - contrasted to polynomial extrapolation 572
 - related to optimal filtering 570f.
 - removal of bias in 575
 - stability 572
 - Linear predictive coding (LPC) 576f.
 - Linear programming 398, 434ff.
 - artificial variables 441
 - auxiliary objective function 441
 - basic variables 438
 - composite simplex algorithm 447
 - constraints 435
 - convergence criteria 443
 - degenerate feasible vector 440
 - dual problem 446
 - equality constraints 435
 - feasible basis vector 437f.
 - feasible vector 435
 - fundamental theorem 437
 - inequality constraints 435
 - left-hand variables 438
 - nonbasic variables 438
 - normal form 438
 - objective function 435
 - optimal feasible vector 435
 - pivot element 439f.
 - primal-dual algorithm 447
 - primal problem 447
 - reduction to normal form 440ff.
 - restricted normal form 438ff.
 - revised simplex method 447
 - right-hand variables 438
 - simplex method 413, 434, 438ff., 443ff.
 - slack variables 440
 - tableau 438
 - vertex of simplex 437
 - Linear regression 666ff., 671ff.
 - see also* Fitting
 - Linear regularization 811ff.
 - LINPACK 38
 - Linux 4, 16
 - Little-endian 306
 - Local extrapolation 720
 - Local extremum 398, 449
 - Localization of roots *see* Bracketing
 - Logarithmic function 267
 - Lomb periodogram method of spectral analysis 581f.
 - fast algorithm 586f.
 - Loops 9
 - Lorentzian probability distribution 296, 707
 - Low-pass filter 563, 655
 - LP coefficients *see* Linear prediction
 - LPC (linear predictive coding) 576f.
 - LU decomposition 46ff., 58f., 62, 66, 74, 107, 385, 678, 743
 - for $\mathbf{A}^{-1} \cdot \mathbf{B}$ 51
 - band diagonal matrix 55ff.
 - complex equations 52f.
 - Crout's algorithm 47ff., 56
 - for integral equations 794, 797
 - for inverse iteration of eigenvectors 499
 - for inverse problems 812
 - for matrix determinant 52
 - for matrix inverse 51
 - for nonlinear sets of equations 385, 396
 - operation count 47, 51
 - for Padé approximant 207
 - pivoting 48f.
 - repeated backsubstitution 51, 57
 - solution of linear algebraic equations 51
 - solution of normal equations 678
 - for Toeplitz matrix 97
 - Lucifer (encryption algorithm) 304
- M**-estimates 704ff.
 - how to compute 708
 - local 705ff.
 - see also* Maximum likelihood estimate
- Machine accuracy 31f., 892
 - Macintosh, *see* Apple Macintosh
 - Maehly's procedure 375, 382
 - Magic
 - in MEM image restoration 825
 - in Padé approximation 207
 - Mantissa in floating point format 31, 892, 921
 - Marginals 635
 - Marquardt method (least squares fitting) 688ff., 827
 - Mass, center of 309ff.
 - MasterCard checksum 904
 - Mathematical Center (Amsterdam) 364
 - Matrix 36ff.
 - approximation of 69f., 609
 - band diagonal 53, 55ff., 74
 - band triangular 74
 - banded 38, 466
 - bidiagonal 63
 - block diagonal 74, 765
 - block triangular 74
 - block tridiagonal 74
 - bordered 74
 - characteristic polynomial 461, 481
 - Cholesky decomposition 99ff., 434, 467, 679
 - column augmented 40

- complex 52f.
 condition number 64, 88
 curvature 688
 cyclic banded 74
 cyclic tridiagonal 77f.
 defective 462, 488, 499
 of derivatives *see* Hessian matrix; Jacobian determinant
 design (fitting) 656, 676, 811f.
 determinant of 37, 52
 diagonalization 464ff.
 elementary row and column operations 40
 finite differencing of partial differential equations 832ff.
 Hermitian 462, 466, 486f.
 Hermitian conjugate 462
 Hessenberg 104, 465, 482, 487ff., 499
 Hessian *see* Hessian matrix
 hierarchically band diagonal 610
 Hilbert 93
 identity 37
 ill-conditioned 64, 66, 123
 indexed storage of 81f.
 and integral equations 790, 794
 inverse 37, 39, 45, 51f., 76ff., 80f., 105ff.
 inverse, approximate 60
 inverse by Hotelling's method 60, 610
 inverse by Schultz's method 60, 610
 inverse multiplied by a matrix 52
 iteration for inverse 60, 610
 Jacobi transformation 465, 468ff., 475
 Jacobian 743
 lower triangular 46f., 99, 792
 multiplication denoted by dot 36
 norm 61
 normal 462f.
 nullity 64
 nullspace 37, 64, 66, 461, 806
 orthogonal 101, 462, 475, 599
 orthogonal transformation 464, 475ff., 482
 orthonormal basis 69, 100
 outer product denoted by \otimes 76, 432
 partitioning for determinant 81
 partitioning for inverse 80f.
 pattern multiply of sparse 84f.
 positive definite 38, 99, 679
 QR decomposition 101f., 393, 396, 679
 range 64
 rank 64
 residual 60
 resize function not assumed 23
 row and column indices 36
 row vs. column operations 43f.
 self-adjoint 462
 similarity transform 464ff., 468, 488, 490, 493
 singular 64, 66, 69, 461
 singular value decomposition 37f., 62ff., 808
 sparse 36, 74ff., 81, 609f., 743, 765, 815
 special forms 38
 splitting in relaxation method 867f.
 spread 819
 square root of 434, 467
 storage schemes in C++ 36f., 941
 symmetric 38, 99, 462, 466, 474ff., 679, 795f.
 threshold multiply of sparse 84ff.
 Toeplitz 93, 95ff., 207
 transpose of sparse 83f.
 triangular 465
 tridiagonal 38, 53f., 74, 118, 162, 465f., 474ff., 481ff., 499, 850f., 864, 872f.
 tridiagonal with fringes 833
 unitary 462
 updating 103, 393f.
 upper triangular 46f., 101
 user-defined library 28ff., 949
 Vandermonde 93ff., 123
see also Eigensystems
 Matrix equations *see* Linear algebraic equations
 Matrix Template Library (MTL) 30, 953
 Matterhorn 617
 Maximization *see* Minimization
 Maximum entropy method (MEM) 577ff.
 algorithms for image restoration 826f.
 Bayesian 828
 Cornwell-Evans algorithm 827
 demystified 825
 historic vs. Bayesian 828
 image restoration 821ff.
 intrinsic correlation function (ICF) model 828
 for inverse problems 821ff.
 operation count 579
 see also Linear prediction
 Maximum likelihood estimate (M-estimates) 699, 704ff.
 and Bayes' Theorem 822
 chi-square test 699
 defined 663
 how to compute 708
 mean absolute deviation 707, 708f.
 relation to least squares 663
 Maxwell's equations 837
 Mean(s)
 of distribution 615f., 619
 statistical differences between two 620ff.
 Mean absolute deviation of distribution 616, 707
 related to median 708f.
 Measurement errors 661
 Median 332
 calculating 345
 of distribution 616, 619f.
 as L-estimate 705
 role in robust straight line fitting 708f.
 by selection 709
 Median-of-three, in Quicksort 336
 MEM *see* Maximum entropy method (MEM)
 Merit function 661
 in general linear least squares 676
 for inverse problems 808
 nonlinear models 686
 for straight line fitting 667, 708f.
 for straight line fitting, errors in both coordinates 671
 Mesh-drift instability 845f.
 Mesokurtic distribution 617

- Method of regularization 811ff.
Metropolis algorithm 449f.
Microsoft xx
 Visual C++ 4
 Windows 4
Midpoint method *see* Modified midpoint method;
 Semi-implicit midpoint rule
Mikado, or Town of Titipu 725
Miller's algorithm 187, 239
Minimal solution of recurrence relation 185
Minimax polynomial 198, 210
Minimax rational function 210
Minimization 398ff.
 along a ray 87, 388f., 400, 417f., 423,
 428, 430
 annealing, method of simulated 398f.,
 448ff.
 bracketing of minimum 401ff., 413
 Brent's method 400, 406ff., 411, 672
 Broyden-Fletcher-Goldfarb-Shanno algo-
 rithm 401, 430ff.
 chi-square 664ff., 686ff.
 choice of methods 399ff.
 combinatorial 448
 conjugate gradient method 400f., 424ff.,
 815, 826
 convergence rate 404, 420f.
 Davidon-Fletcher-Powell algorithm 401,
 430f.
 degenerate 806
 direction-set methods 400, 417ff.
 downhill simplex method 400, 413ff., 456,
 708
 finding best-fit parameters 661
 Fletcher-Reeves algorithm 400f., 425ff.
 functional 806
 global 398f., 455f., 661
 globally convergent multidimensional 430ff.
 golden section search 401ff., 407
 multidimensional 399f., 413ff.
 in nonlinear model fitting 686f.
 Polak-Ribiere algorithm 400f., 427
 Powell's method 400, 413, 417ff.
 quasi-Newton methods 387, 401, 430ff.
 and root finding 386
 scaling of variables 432
 by searching smaller subspaces 826
 steepest descent method 425, 815
 termination criterion 402f., 415
 use in finding double roots 352
 use for sparse linear systems 87ff.
 using derivatives 400f., 410ff.
 variable metric methods 401, 430ff.
 see also Linear programming
Minimum residual method, for sparse system
 88
MINPACK 693
MIPS 896
Missing data problem 581
Mississippi River 450, 459
Mode of distribution 616, 620
Modeling of data *see* Fitting
Model-trust region 396, 693
Modes, homogeneous, of recursive filters 566
Modified Bessel functions *see* Bessel func-
 tions
Modified Lentz's method, for continued frac-
 tions 177
Modified midpoint method 727f., 730
Modified moments 163
Modula-2 7
Modular arithmetic, without overflow 282,
 284, 289
Modularization, in programs 7f.
Modulus of linear congruential generator 280
Moments
 of distribution 615ff.
 filter that preserves 655
 modified problem of 163
 problem of 93f.
 and quadrature formulas 801
 semi-invariants 619
Monic polynomial 154
Monotonicity constraint, in upwind differenc-
 ing 848
Monte Carlo 167, 279
 adaptive 320ff., 323ff.
 bootstrap method 696f.
 comparison of sampling methods 322f.
 exploration of binary tree 304
 importance sampling 320f.
 integration 134, 167, 308ff., 320ff.
 integration, recursive 328ff.
 integration, using Sobol' sequence 317ff.
 integration, VEGAS algorithm 323ff.
 and Kolmogorov-Smirnov statistic 632,
 651f.
 partial differential equations 835
 quasi-random sequences in 313ff.
 quick and dirty 696f.
 recursive 320ff., 328ff.
 significance of Lomb periodogram 583
 simulation of data 665, 695ff., 700
 stratified sampling 321f., 328
Moon, calculate phases of 1f., 13f.
Mother functions 596
Mother Nature 694, 697
Moving average (MA) model 578
Moving window averaging 655
Mozart 8
MS-DOS xiii
Muller's method 375, 383
Multidimensional
 confidence levels of fitting 699
 data, use of binning 633f.
 Fourier transform 526ff.
 Fourier transform, real data 530ff.
 initial value problems 855ff.
 integrals 134, 166ff., 308ff., 320ff.
 interpolation 126ff.
 Kolmogorov-Smirnov test 650ff.
 least squares fitting 686
 minimization 413ff., 417f., 424ff.
 Monte Carlo integration 308ff., 320ff.
 normal (Gaussian) distribution 701
 optimization 399f.
 partial differential equations 855ff.
 root finding 351ff., 369, 381, 383ff., 386,
 757, 760f., 763, 765

- search using quasi-random sequence 313
 secant method 384, 393ff.
 wavelet transform 606
 Multigrid method 835, 873ff.
 avoid SOR 877
 boundary conditions 879f.
 choice of operators 879
 coarse-to-fine operator 875
 coarse-grid correction 875f.
 cycle 876
 dual viewpoint 885
 fine-to-coarse operator 875
 full approximation storage (FAS) algorithm 884ff.
 full multigrid method (FMG) 874, 879f.
 full weighting 878
 Gauss-Seidel relaxation 876f.
 half weighting 878
 importance of adjoint operator 878
 injection operator 875
 interpolation operator 875
 line relaxation 877
 local truncation error 885
 Newton's rule 884, 886
 nonlinear equations 884ff.
 nonlinear Gauss-Seidel relaxation 886
 odd-even ordering 877, 880
 operation count 873
 prolongation operator 875
 recursive nature 876
 relative truncation error 885
 relaxation as smoothing operator 876
 restriction operator 875
 speeding up FMG algorithm 884
 stopping criterion 886
 straight injection 878
 symbol of operator 877f.
 use of Richardson extrapolation 880
 V-cycle 876
 W-cycle 876
 zebra relaxation 877
 Multiple precision arithmetic 916ff.
 Multiple roots 352, 373
 Multiplication, complex 183
 Multiplication, multiple precision 917, 920
 Multiplier of linear congruential generator 280
 Multistep and multivalued methods (ODEs) 751ff.
 see also Differential Equations; Predictor-corrector methods
 Multivariate normal distribution 701
 Murphy's Law 418
 Musical scores 5
- NAG** xx, 38, 75, 217, 466
 Namespace 18, 931
 unnamed 19
 National Science Foundation (U.S.) xiv, xvi
 Natural cubic spline 118
 Navier-Stokes equation 841f.
 Needle, eye of (minimization) 414
 Negation, multiple precision 917
 Negentropy 822, 906
 Nelder-Mead minimization method 400, 413ff.
- Nested iteration 879
 Neumann boundary conditions 831, 851, 862, 869
 Neutrino 650
 Neville's algorithm 111f., 114, 145, 194
 Newton-Cotes formulas 135ff., 152
 open 137
 Newton-Raphson method *see* Newton's rule
 Newton's rule 155f., 191, 352, 366ff., 373, 375, 481
 with backtracking 388f.
 caution on use of numerical derivatives 369
 fractal domain of convergence 371f.
 globally convergent multidimensional 384, 387ff., 393, 760f., 763
 for matrix inverse 60, 610
 in multidimensions 381, 383ff., 760f., 763, 765
 in nonlinear multigrid 884, 886
 nonlinear Volterra equations 798
 for reciprocal of number 922
 safe 370
 scaling of variables 393
 singular Jacobian 396
 solving stiff ODEs 751
 for square root of number 923
 Niederreiter sequence 314
 NL2SOL 693
 Noise
 bursty 899
 effect on maximum entropy method 579
 equivalent bandwidth 559
 fitting data which contains 658, 661
 model, for optimal filtering 553
 Nominal variable (statistics) 633
 Nonexpansive projection operator 816
 Non-interfering directions *see* Conjugate directions
 Nonlinear eigenvalue problems 467
 Nonlinear equations
 finding roots of 351ff.
 integral equations 792, 798
 in MEM inverse problems 824f.
 multigrid method for elliptic PDEs 884ff.
 Nonlinear instability 842
 Nonlinear programming 447
 Nonnegativity constraints 435
 Nonparametric statistics 644ff.
 Nonpolynomial complete (NP-complete) 449
 Norm, of matrix 61
 Normal (Gaussian) distribution 279, 663, 692f., 809
 central limit theorem 663f.
 deviates from 292f., 583
 kurtosis of 617
 multivariate 701
 semi-invariants of 619
 tails compared to Poisson 664
 two-dimensional (binormal) 642
 variance of skewness of 617
 Normal equations (fitting) 37f., 656, 677ff., 806, 812
 often are singular 681

- Normalization
 of Bessel functions 187
 of floating-point representation 31, 892
 of functions 154, 777
 of modified Bessel functions 244
 Notch filter 563, 567f.
 NP-complete problem 449
`nr.h` function declarations 2, 18, 21, 931
`nrerror()` utility 2, 941
`NRMat3d` matrix class 27
`NRMat` matrix class 20ff., 25ff., 941, 950, 953
`nrtoosp.pl` Perl script 957
`nrtypes.h` type declarations 2, 21, 931, 939, 949
 for user-defined matrix libraries 30
`nrutil.h` utility functions and classes 2f., 20f., 25ff., 931, 941, 950, 953
`NRVec` vector class 20ff., 25ff., 941, 950, 953
 as `valarray` 27
 Null hypothesis 614
 Nullity 64
 Nullspace 37, 64, 66, 461, 806
 Number-theoretic transforms 514
 Numerical derivatives 192ff., 656
 Numerical integration *see* Quadrature
 Numerical Recipes
 as trademark xx
 compatibility with First Edition 4
 compilers tested 4
 Example Book 3
 function declarations (`nr.h`) 2, 18, 21, 931
 how to get CDROMs xviii
 how to report bugs iv
 implementation of vector and matrix classes 25ff., 941, 950, 953
 license information xvii
 list of all 959ff.
 machines tested 4
 no warranty on xvii
 OEM information xix
 programming conventions 23ff.
 programs by chapter and section xxi
 quick start 2, 22
 table of dependencies 959ff.
 type declarations (`nrtypes.h`) 2, 21, 30, 931, 939, 949
 utility functions and classes (`nrutil.h`) 2f., 20f., 25ff., 931, 941, 950, 953
 Numerical Recipes Software xii, xx
 address and fax number xix
 Nyquist frequency 506ff., 530, 555, 557, 581, 583f.
 Nystrom method 793f., 799f.
 product version 799
- O**bject extensibility 8
 Object-oriented programming 7
 Objective function 435
 Oblateness parameter 775
 Odd-even ordering
 in Gauss-Seidel relaxation 877, 880
 in successive over-relaxation (SOR) 870
 Odd parity 898
- OEM information xix
 One-sided power spectral density 503
 Operation count
 balancing 488
 Bessel function evaluation 239
 bisection method 357
 Cholesky decomposition 100
 coefficients of interpolating polynomial 123f.
 complex multiplication 107
 cubic spline interpolation 118
 evaluating polynomial 180f.
 fast Fourier transform (FFT) 509
 Gauss-Jordan elimination 45, 51
 Gaussian elimination 45
 Givens reduction 475
 Householder reduction 479
 interpolation 109
 inverse iteration 499
 iterative improvement 59
 Jacobi transformation 472
 Kendall's tau 648f.
 linear congruential generator 281
 LU decomposition 47, 51
 matrix inversion 107
 matrix multiplication 106
 maximum entropy method 579
 multidimensional minimization 425
 multigrid method 873
 multiplication 920
 polynomial evaluation 107, 180f.
 QL method 482, 485
 QR decomposition 102
 QR method for Hessenberg matrices 495
 reduction to Hessenberg form 490
 selection by partitioning 345
 sorting 332ff.
 Toeplitz matrix 93
 Vandermonde matrix 93
 Operator
 associativity, in C++ 23f.
 conversion 29
 overloading 8, 20, 26, 30
 precedence, in C++ 23f.
 splitting 834, 858f., 872
 Optimal feasible vector 435
 Optimal (Wiener) filtering 547, 552ff., 570f., 655
 compared with regularization 812
 Optimization *see* Minimization
 Ordinal variable (statistics) 633
 Ordinary differential equations *see* Differential equations
 Orthogonal *see* Orthonormal functions; Orthonormal polynomials
 Orthogonal transformation 464, 475ff., 482, 596
 Orthonormal basis, constructing 69, 103
 Orthonormal functions 154, 257
 Orthonormal polynomials
 Chebyshev 156, 161, 196ff.
 construct for arbitrary weight 163f.
 in Gauss-Hermite integration 159
 and Gaussian quadrature 154
 Gaussian weights from recurrence 161f.

- Hermite 156
 Jacobi 156
 Laguerre 156
 Legendre 156
 weight function $\log x$ 165
 Orthonormality 62f., 154, 475
 Outer product of matrices (denoted by \otimes) 76, 432
 Outgoing wave boundary conditions 831
 Outlier 616, 664, 667, 704, 707
 see also Robust estimation
 Overcorrection 868
 Overflow 892
 in complex arithmetic 183
 how to avoid in modulo multiplication 282
 Overlap-add and overlap-save methods 549
 Overrelaxation parameter 868
 choice of 868f.
- P**adé approximant 114, 206ff.
 Parabolic interpolation 407
 Parabolic partial differential equations 829, 849ff.
 Parallel axis theorem 322
 Parameters in fitting function 662f., 694ff.
 Parity bit 898
 Park and Miller minimal standard random generator 282f.
 Parseval's Theorem 503, 556
 discrete form 509
 Partial differential equations 829ff.
 advective equation 837
 alternating-direction implicit method (ADI) 858, 872f.
 amplification factor 839, 845
 analyze/factorize/operate package 835
 artificial viscosity 842, 848
 biconjugate gradient method 835
 boundary conditions 830ff.
 boundary value problems 830ff., 859f.
 Cauchy problem 829f.
 caution on high-order methods 855f.
 Cayley's form 855
 characteristics 829
 Chebyshev acceleration 870f.
 classification of 829ff.
 comparison of rapid methods 865
 conjugate gradient method 835
 Courant condition 840, 843, 845, 847
 Courant condition (multidimensional) 857
 Crank-Nicolson method 850, 853, 855, 857
 cyclic reduction (CR) method 859f., 863f.
 diffusion equation 829, 849ff., 857, 866
 Dirichlet boundary conditions 831, 850, 861, 867, 869
 elliptic, defined 829
 error, varieties of 842ff.
 explicit vs. implicit differencing 838
 FACR method 865
 finite difference method 832ff.
 finite element methods 835f.
 flux-conservative initial value problems 836ff.
 forward Euler differencing 837f.
 Forward Time Centered Space (FTCS) 838ff., 849ff., 854, 866
 Fourier analysis and cyclic reduction (FACR) 859ff., 865
 Gauss-Seidel method (relaxation) 866, 875ff., 886
 Godunov's method 848
 Helmholtz equation 863
 hyperbolic 829, 836f.
 implicit differencing 850
 incomplete Cholesky conjugate gradient method (ICCG) 835
 inhomogeneous boundary conditions 861f.
 initial value problems 829f.
 initial value problems, recommendations on 849ff.
 Jacobi's method (relaxation) 866f., 875
 Laplace's equation 829
 Lax method 839ff., 847, 856f.
 Lax method (multidimensional) 856f.
 matrix methods 835
 mesh-drift instability 845f.
 Monte Carlo methods 835
 multidimensional initial value problems 855ff.
 multigrid method 835, 873ff.
 Neumann boundary conditions 831, 851, 862, 869
 nonlinear diffusion equation 853
 nonlinear instability 842
 numerical dissipation or viscosity 841
 operator splitting 834, 858f., 872
 outgoing wave boundary conditions 831
 parabolic 829, 849ff.
 periodic boundary conditions 861, 869
 piecewise parabolic method (PPM) 848
 Poisson equation 829, 863
 rapid (Fourier) methods 519ff., 835, 859ff.
 relaxation methods 834, 865ff.
 Schrödinger equation 853ff.
 second-order accuracy 844ff., 850f.
 shock 842, 848
 sparse matrices from 74
 spectral methods 835f.
 spectral radius 867ff., 873
 stability vs. accuracy 841
 stability vs. efficiency 832
 staggered grids 524, 863
 staggered leapfrog method 844f.
 strongly implicit procedure 835
 successive over-relaxation (SOR) 868ff., 873, 877
 time splitting 858f., 872
 two-step Lax-Wendroff method 846ff.
 upwind differencing 843f., 848
 variational methods 835
 varieties of error 842ff.
 von Neumann stability analysis 838f., 841, 844, 851
 wave equation 829, 836f.
 see also Elliptic partial differential equations; Finite difference equations (FDEs)
- Partial pivoting 41
 Partition-exchange 336, 345

- Partitioned matrix, inverse of 80f.
 Party tricks 105ff., 180f.
 Parzen window 559
 Pascal 16
 Numerical Recipes in 1
 Pascal, Numerical Recipes in xvi
 Path integration, for function evaluation 213ff.,
 275
 Pattern multiply of sparse matrices 84f.
 PBCG (preconditioned biconjugate gradient
 method) 89, 835
 PC methods *see* Predictor-corrector methods
 PCGPACK 81
 PDEs *see* Partial differential equations
 Pearson's r 641ff.
 PECE method 752
 Pentagon, symmetries of 904
 Pentium processor 289, 307, 896
 Percentile 332
 Period of linear congruential generator 280
 Periodic boundary conditions 861, 869
 Periodogram 556ff., 579
 Lomb's normalized 581f., 586f.
 variance of 557
 Perl xiv
 for `nrtosp.pl` 957
 Perron's theorems, for convergence of recur-
 rence relations 186f.
 Perturbation methods for matrix inversion
 76ff.
 Peter Principle 340
 Phase error 842
 Phase-locked loop 711
 Phi statistic 636
 Phillips-Twomey method 811ff.
 Pi, computation of 916ff.
 Piecewise parabolic method (PPM) 848
 Pincherle's theorem 187
 Pivot element 41, 44, 768
 in linear programming 439f.
 Pivoting 39, 41ff., 57, 76, 100
 full 41
 implicit 41, 49
 in LU decomposition 48f.
 partial 41, 44, 49
 and QR decomposition 102
 in reduction to Hessenberg form 490
 in relaxation method 768
 for tridiagonal systems 54
 Pixel 530, 608, 814, 822
 Planck's constant 853
 Plane rotation *see* Givens reduction; Jacobi
 transformation (or rotation)
 Platykurtic distribution 617
 Plotting of functions 353f.
 POCS (method of projection onto convex sets)
 816
 Poetry 5
 Pointer, use for matrices 941
 Poisson equation 530, 829, 863
 Poisson probability function
 cumulative 226
 deviates from 294, 297ff., 583
 semi-invariants of 619
 tails compared to Gaussian 664
 Poisson process 291, 295, 297
 Polak-Ribiere algorithm 400f., 427
 Poles *see* Complex plane, poles in
 Polishing of roots 369, 374f., 380f.
 Polymorphism 8
 Polynomial interpolation 108, 111ff.
 Aitken's algorithm 111
 in Bulirsch-Stoer method 733, 735
 coefficients for 123ff.
 Lagrange's formula 94, 111f.
 multidimensional 126ff.
 Neville's algorithm 111f., 114, 145, 194
 pathology in determining coefficients for
 123
 in predictor-corrector method 751
 smoothing filters 655f.
 see also Interpolation
 Polynomials 179ff.
 algebraic manipulations 181
 approximating modified Bessel functions
 241
 approximation from Chebyshev coefficients
 203
 AUTODIN-II 900
 CCITT 900
 characteristic 379
 characteristic, for digital filters 566, 572
 characteristic, for eigenvalues of matrix
 461, 481
 Chebyshev 161, 190ff.
 CRC-16 900
 deflation 373ff., 381
 derivatives of 179f.
 division 94, 181, 373, 381
 evaluation of 179
 evaluation of derivatives 179f.
 extrapolation in Bulirsch-Stoer method
 733, 735
 extrapolation in Romberg integration 144
 fitting 93, 123, 203, 655f., 676, 685
 generator for CRC 899f.
 ill-conditioned 373
 matrix method for roots 379
 minimax 198, 210
 monic 154
 multiplication 181
 operation count for 180f.
 orthonormal 154, 190f.
 primitive modulo 2 300ff., 315f., 899
 roots of 189ff., 373ff., 379
 shifting of 204f.
 stopping criterion in root finding 377
 Port, serial data 902
 Portability 3f., 16
 Portable random number generator *see* Ran-
 dom number generator
 Positive definite matrix, testing for 100
 Positivity constraints 435
 Postal Service (U.S.), barcode 904
 PostScript xiv, xx
 Powell's method 400, 413, 417ff.
 Power (in a signal) 503f.
 Power series 171ff., 179f., 207
 economization of 204ff.
 Padé approximant of 206ff.

- Power spectral density *see* Fourier transform;
Spectral density
- Power spectrum estimation *see* Fourier transform;
Spectral density
- PPM (piecewise parabolic method) 848
- Precedence of operators, in C++ 23f.
- Precision, converting to single 17, 957
- Precision, floating point 17, 892, 957
- Precision, multiple 916ff.
- Preconditioned biconjugate gradient method
(PBCG) 89
- Preconditioning, in conjugate gradient methods
835
- Predictor-corrector methods 713, 742, 751ff.
Adams-Bashforth-Moulton schemes 752
adaptive order methods 754f.
compared to other methods 751f.
fallacy of multiple correction 752
with fixed number of iterations 752
functional iteration vs. Newton's rule 753
multivalued compared with multistep 753f.
starting and stopping 753f.
stepsize control 753f.
- Prime numbers 926
- Primitive polynomials modulo 2 300ff., 315f.,
899
- Principal directions 418f.
- Principal solution, of inverse problem 808
- Prize, \$1000 offered 285
- Probability *see* Random number generator;
Statistical tests
- Probability density, change of variables in
291ff.
- Process loss 559
- Product Nystrom method 799
- Program(s)
as black boxes xv, 6, 38, 63, 217, 352,
417
dependencies 959ff.
encapsulation 7f.
interfaces 8
modularization 7f.
organization 5ff.
recipes by chapter and section xxi
typography of 12
validation 3f.
- Projection onto convex sets (POCS) 816
- Projection operator, nonexpansive 816
- Prolongation operator 875
- Protocol, for communications 898
- Prototypes in C++ 17, 931
- PSD (power spectral density) *see* Fourier
transform; Spectral density
- Pseudo-random numbers 278ff.
- Puns, particularly bad 179, 755, 758
- Pyramidal algorithm 599
- Pythagoreans 403
- Q**
QL *see* Eigensystems
- QR** *see* Eigensystems
- QR decomposition** 101f., 393, 396
backsubstitution 102
and least squares 679
operation count 102
- pivoting 102
- updating 103, 393
- use for orthonormal basis 69, 103
- Quadratic**
convergence 60, 267, 362, 368f., 420f.,
431, 916
equations 32, 189ff., 402, 469
interpolation 364, 375
programming 447
- Quadrature** 133ff.
adaptive 133, 202, 799
alternative extended Simpson's rule 138
arbitrary weight function 163f., 799
automatic 166
Bode's rule 136
change of variable in 148ff., 799
by Chebyshev fitting 134, 201
classical formulas for 134ff.
Clenshaw-Curtis 134, 202, 522, 524
closed formulas 135, 137f.
and computer science 891
by cubic splines 134
error estimate in solution 795
extended midpoint rule 140, 146
extended rules 137ff., 144, 797, 799, 801
extended Simpson's rule 138
Fourier integrals 589ff.
Fourier integrals, infinite range 595
Gauss-Chebyshev 156, 161, 522, 524
Gauss-Hermite 156, 800
Gauss-Jacobi 156
Gauss-Kronrod 165
Gauss-Laguerre 156, 800
Gauss-Legendre 156, 794, 799
Gauss-Lobatto 165, 202, 522
Gauss-Radau 165
Gaussian integration 137, 152ff., 792,
794, 799
Gaussian integration, nonclassical weight
function 163f., 799
for improper integrals 146ff., 799f.
for integral equations 792f., 797
Monte Carlo 134, 167, 308ff., 320ff.
multidimensional 134, 166ff.
Newton-Cotes formulas 135ff., 152
Newton-Cotes open formulas 137
open formulas 135, 137, 139f., 146
related to differential equations 133
related to predictor-corrector methods 751f.
Romberg integration 134, 144f., 147, 194,
728, 799
semi-open formulas 139f.
Simpson's rule 136, 143, 147, 595, 793f.,
798, 801
Simpson's three-eighths rule 136, 799,
801
singularity removal 148ff., 799f.
singularity removal, worked example 803
trapezoidal rule 135, 138, 141ff., 144,
591, 595, 793f., 797
using FFTs 134
weight function $\log x$ 165
see also Integration of functions
- Quadrature mirror filter** 597, 604

- Quantum mechanics, Uncertainty Principle 611
- Quartile value 332
- Quasi-Newton methods for minimization 401, 430ff.
- Quasi-random sequence 313ff., 331, 891, 898
Halton's 313f.
for Monte Carlo integration 317ff., 323, 331
Sobol's 315
see also Random number generator
- Quicksort 332, 336ff., 342, 345
- Quotient-difference algorithm 176
- R**-estimates 705
- Radioactive decay 291
- Radix base for floating point arithmetic 488, 892, 917, 924
- Radix conversion 912, 916, 924
- Ramanujan's identity for π 926
- RAND_MAX macro 279f., 281
- Random bits, generation of 300ff.
- Random deviates 278ff.
binomial 299f.
exponential 291f.
gamma distribution 294ff.
Gaussian 279, 292f., 583, 809
normal 279, 292f., 583
Poisson 297ff., 583
quasi-random sequences 313ff., 891, 898
uniform 279ff.
uniform integer 284, 287ff.
- Random number generator 278ff.
bitwise operations 300ff.
Box-Muller algorithm 293
Data Encryption Standard 304ff.
good choices for modulus, multiplier and increment 288
for integer-valued probability distribution 297
integer vs. real implementation 286
L'Ecuyer's long period 284f.
linear congruential generator 280f.
machine language 282
Minimal Standard, Park and Miller's 282f.
nonrandomness of low-order bits 281
perfect 285
planes, numbers lie on 281
portable 282ff.
primitive polynomials modulo 2 300ff.
pseudo-DES 304
quasi-random sequences 313ff., 891, 898
quick and dirty 287ff.
quicker and dirtier 289
in Quicksort 336
random access to n th number 307
random bits 300ff.
recommendations 289f.
rejection method 294ff.
shuffling procedure 284, 285
in simulated annealing method 449
spectral test 289
subtractive method 286
system-supplied 279ff.
timings 289f.
transformation method 291ff.
trick for trigonometric functions 293
- Random numbers *see* Monte Carlo; Random deviates
- Random walk 32
- RANDU, infamous routine 281
- Range 64, 66
- Rank (matrix) 64
kernel of finite 796
- Rank (sorting) 332, 343f.
- Rank (statistics) 644ff., 705
Kendall's tau 647f.
Spearman correlation coefficient 645f.
sum squared differences of 645
- Ratio variable (statistics) 633
- Rational Chebyshev approximation 209ff.
- Rational function 108, 179ff., 206ff., 209ff.
approximation for Bessel functions 236f.
approximation for continued fraction 176, 222, 232
Chebyshev approximation 209ff.
evaluation of 182
extrapolation in Bulirsch-Stoer method 729ff., 736
interpolation and extrapolation using 108, 114ff., 206ff., 209ff., 729ff., 736
minimax 210
as power spectrum estimate 578
- Realizable (causal) 564, 567
- Rearranging *see* Sorting
- Reciprocal, multiple precision 922
- Record, in data file 341
- Recurrence relation 184ff.
associated Legendre polynomials 258
Bessel function 184, 236, 246f.
binomial coefficients 220
Bulirsch-Stoer 114f.
characteristic polynomial of tridiagonal matrix 481
Clenshaw's recurrence formula 187ff.
and continued fraction 187
continued fraction evaluation 176f.
convergence 187
cosine function 184, 511
dominant solution 185
exponential integrals 184
gamma function 218
generation of random bits 301f.
Golden Mean 33
Legendre polynomials 184
minimal vs. dominant solution 185
modified Bessel function 243f.
Neville's 112, 194
orthonormal polynomials 154
Perron's theorems 186f.
Pincherle's theorem 187
polynomial interpolation 112, 195
primitive polynomials modulo 2 301f.
random number generator 280
rational function interpolation 114f.
sequence of trig functions 184f.
sine function 184, 511
spherical harmonics 258

- stability of 33f., 185ff., 188f., 236, 244, 258
 trig functions 584
 weight of Gaussian quadrature 156
 Recursion, in multigrid method 876
 Recursive Monte Carlo integration 320ff.
 Recursive stratified sampling 328ff.
 Red-black *see* Odd-even ordering
 Reduction of variance in Monte Carlo integration 312, 320ff.
 References (explanation) 5
 References (general bibliography) 927ff.
 Reflection formula for gamma function 218
 register storage class 23
 Regula falsi (false position) 358ff.
 Regularity condition 787
 Regularization
 compared with optimal filtering 812
 constrained linear inversion method 811ff.
 of inverse problems 807ff.
 linear 811ff.
 nonlinear 824f.
 objective criterion 814
 Phillips-Twomey method 811ff.
 Tikhonov-Miller 811ff.
 trade-off curve 810
 two-dimensional 814
 zeroth order 807ff.
 see also Inverse problems
 Regularizing operator 809
 Rejection method for random number generator 294ff.
 Relaxation method
 for algebraically difficult sets 774
 automated allocation of mesh points 785ff., 788
 computation of spheroidal harmonics 775ff.
 for differential equations 757f., 765ff.
 elliptic partial differential equations 834f., 865ff.
 example 775ff.
 Gauss-Seidel method 866, 875ff., 886
 internal boundary conditions 787ff.
 internal singular points 787ff.
 Jacobi's method 866f., 875
 successive over-relaxation (SOR) 868ff., 873, 877
 see also Multigrid method
 Remes algorithms
 exchange algorithm 566
 for minimax rational function 210
 Residual 60, 65, 88
 in multigrid method 874
 Resize function, existence not assumed 23
 Resolution function, in Backus-Gilbert method 818
 Response function 543
 Restriction operator 875
 Reward, \$1000 offered 285
 Richardson's deferred approach to the limit 144, 147, 194, 713, 729ff., 737f., 798, 880
 see also Bulirsch-Stoer method
 Richtmyer artificial viscosity 848
 Ridders' method, for numerical derivatives 194
 Ridders' method, root finding 352, 360, 362
 Riemann shock problem 848
 Right eigenvalues and eigenvectors 463
 Rise/fall time 559f.
 Robust estimation 664, 704ff., 711
 Andrew's sine 707
 average deviation 616
 double exponential errors 706
 Kalman filtering 711
 Lorentzian errors 707
 mean absolute deviation 616
 nonparametric correlation 644ff.
 Tukey's biweight 707
 use of a priori covariances 711
 see also Statistical tests
 Romberg integration 134, 144f., 147, 194, 728, 799
 Root finding 155f., 351ff.
 advanced implementations of Newton's rule 396
 Bairstow's method 375, 381
 bisection 354, 357, 363ff., 370, 401, 481, 709
 bracketing of roots 352, 354ff., 364, 373, 375, 380
 Brent's method 352, 360, 672
 Broyden's method 384, 393ff., 396
 compared with multidimensional minimization 386
 complex analytic functions 375
 in complex plane 216
 convergence criteria 357, 385
 deflation of polynomials 373ff., 381
 without derivatives 365
 double root 352
 eigenvalue methods 379
 false position 358ff.
 Jenkins-Traub method 380
 Laguerre's method 352, 376ff.
 Lehmer-Schur algorithm 380
 Maehly's procedure 375, 382
 matrix method 379
 Muller's method 375, 383
 multiple roots 352
 Newton's rule 155f., 191, 352, 366ff., 373, 375, 381, 383ff., 387f., 481, 753, 760f., 765, 798, 884, 886, 922f.
 pathological cases 354f., 366ff., 373, 384
 polynomials 352, 373ff., 461
 in relaxation method 765
 Ridders' method 352, 360, 362
 root-polishing 369, 374f., 380ff.
 safe Newton's rule 370
 secant method 358ff., 369, 375, 411
 in shooting method 757, 760f.
 singular Jacobian in Newton's rule 396
 stopping criterion for polynomials 377
 use of minimum finding 352
 using derivatives 366ff.
 zero suppression 383
 see also Roots
 Root polishing 369, 374, 380ff.

- Roots
- Chebyshev polynomials 196
 - cubic equations 190f.
 - multiple 352, 376ff.
 - nonlinear equations 351ff.
 - polynomials 352, 373ff., 461
 - quadratic equations 189f.
 - reflection in unit circle 572
 - square, multiple precision 923
 - see also* Root finding
- Rosenbrock method 741f.
- compared with semi-implicit extrapolation 750
 - stepsize control 743
- Roundoff error 32, 891f., 957
- bracketing a minimum 411
 - conjugate gradient method 835
 - eigensystems 470, 479, 482, 483, 488, 490, 494
 - extended trapezoidal rule 143
 - general linear least squares 679, 682
 - graceful 893
 - hardware aspects 892
 - Householder reduction 478
 - IEEE standard 893
 - interpolation 110
 - least squares fitting 669, 679
 - Levenberg-Marquardt method 690
 - linear algebraic equations 35f., 39, 41, 58, 67, 94
 - linear predictive coding (LPC) 576
 - magnification of 32, 58
 - maximum entropy method (MEM) 579
 - measuring 892
 - multidimensional minimization 430, 434
 - multiple roots 373f.
 - numerical derivatives 192
 - recurrence relations 185
 - reduction to Hessenberg form 490
 - series 177
 - straight line fitting 669
 - variance 618
- Row degeneracy 35
- Row-indexed sparse storage 81f.
- transpose 83f.
- Row operations on matrix 40, 43
- Row totals 635
- RSS algorithm 328ff.
- RST properties (reflexive, symmetric, transitive) 349
- Runge-Kutta method 713f., 715ff., 743, 751
- Cash-Karp parameters 721f.
 - embedded 720f., 743
 - high-order 716
 - quality control 733
 - stepsize control 719ff.
- Run-length encoding 911
- Rybicki, G.B. 95, 123, 157, 264, 533, 586, 611
- S**ampling
- importance 320f.
 - Latin square or hypercube 319
 - recursive stratified 328ff.
 - stratified 321f.
 - uneven or irregular 581, 659
- Sampling theorem 506, 555
- for numerical approximation 611ff.
- Sande-Tukey FFT algorithm 514
- Savitzky-Golay filters
- for data smoothing 655ff.
 - for numerical derivatives 195, 656
- ScaLAPACK 38
- Scallop loss 559
- Schrage's algorithm 282
- Schrödinger equation 853ff.
- Schultz's method for matrix inverse 60, 610
- SDLC checksum 900
- Searching
- with correlated values 120f.
 - an ordered table 120f.
 - selection 344ff.
- Secant method 352, 358ff., 369, 375, 411
- Broyden's method 393ff.
 - multidimensional (Broyden's) 384, 393ff.
- Second Euler-Maclaurin summation formula 146
- Second order differential equations 737
- Seed of random number generator 279
- Selection 332, 344ff.
- find m largest elements 348
 - heap algorithm 348
 - for median 709
 - operation count 344f.
 - by partition-exchange 345
 - without rearrangement 346
 - timings 347f.
 - use to find median 620
- Semi-implicit Euler method 741, 746
- Semi-implicit extrapolation method 741, 746
- compared with Rosenbrock method 750
 - stepsize control 748
- Semi-implicit midpoint rule 746
- Semi-invariants of a distribution 619
- Sentinel, in Quicksort 336, 345
- Separable kernel 796
- Separation of variables 257
- Serial data port 902
- Series 171ff.
- accelerating convergence of 172ff.
 - alternating 172f.
 - asymptotic 173
 - Bessel function K_ν 252
 - Bessel function Y_ν 247
 - Bessel functions 172, 235
 - cosine integral 262
 - divergent 173
 - economization 204ff., 207
 - Euler's transformation 172ff.
 - exponential integral 227, 229
 - Fresnel integral 259
 - hypergeometric 214, 275
 - incomplete beta function 232
 - incomplete gamma function 222
 - Laurent 578
 - relation to continued fractions 176
 - roundoff error in 177
 - sine and cosine integrals 262
 - sine function 172
 - Taylor 366, 418, 713, 720, 766, 770

- transformation of 172ff.
- van Wijngaarden's algorithm 173
- Shaft encoder 896f.
- Shakespeare 8
- Shampine's Rosenbrock parameters 743
- Shell algorithm (Shell's sort) 333ff.
- Sherman-Morrison formula 76ff., 93, 393
- Shifting of eigenvalues 461, 482f., 492
- Shock wave 842, 848
- Shooting method
 - computation of spheroidal harmonics 784
 - for differential equations 757, 760ff., 782ff.
 - for difficult cases 762f.
 - example 782ff.
 - interior fitting point 762f.
- Shuffling to improve random number generator 284f.
- Sidelobe fall-off 559
- Sidelobe level 559
- Signal, bandwidth limited 506
- Significance (numerical) 31
- Significance (statistical) 620f.
 - one- vs. two-sided 643
 - peak in Lomb periodogram 582
 - of 2-d K-S test 651f.
 - two-tailed 624
- Similarity transform 464ff., 468, 488, 490, 493
- Simplex
 - defined 413
 - method in linear programming 400, 413f., 433ff., 443ff.
 - method of Nelder and Mead 400, 413ff., 456, 708
 - use in simulated annealing 456
- Simpson's rule 134ff., 138, 143, 147, 595, 793f., 798f.
- Simpson's three-eighths rule 136, 799, 801
- Simulated annealing *see* Annealing, method of simulated
- Simulation *see* Monte Carlo
- Sine function
 - evaluated from $\tan(\theta/2)$ 185
 - recurrence 184
 - series 172
- Sine integral 259, 261ff.
 - continued fraction 262
 - series 262
 - see also* Cosine integral
- Sine transform *see* Fast Fourier transform (FFT); Fourier transform
- Single precision
 - converting to 17, 957
- Singleton's algorithm for FFT 536f.
- Singular value decomposition (SVD) 37f., 62ff.
 - approximation of matrices 69f.
 - backsubstitution 67
 - and bases for nullspace and range 64
 - confidence levels from 703
 - covariance matrix 703
 - fewer equations than unknowns 68
 - for inverse problems 808
 - and least squares 65, 68f., 211, 679, 681ff.
 - in minimization 420
 - more equations than unknowns 68f.
 - and rational Chebyshev approximation 211
 - of square matrix 64ff.
 - use for ill-conditioned matrices 66f., 69, 461
 - use for orthonormal basis 69, 103
- Singularities
 - of hypergeometric function 214, 275
 - in integral equations 799ff.
 - in integral equations, worked example 803
 - in integrands 146ff., 799f.
 - removal in numerical integration 148ff., 799f.
- Singularity, subtraction of the 800
- SIPSOL 835
- size function 26, 30
- Skewness of distribution 617, 619
- Smoothing, importance in multigrid method 876
- Smoothing of data 123, 655ff.
 - in integral equations 792
- sn function 273
- Snyder, N.L. xiii
- Sobol's quasi-random sequence 315
- Sonata 8
- Sonnet 8
- Sorting 332ff.
 - bubble sort cautioned against 333
 - compared to selection 344f.
 - covariance matrix 680, 692
 - eigenvectors 473f.
 - Heapsort 332, 339f., 348
 - index table 332, 341
 - operation count 332ff.
 - Quicksort 332, 336ff., 342, 345
 - rank table 332, 343f.
 - ranking 341
 - Shell's method 333ff.
 - straight insertion 333f., 473
- Sparse linear equations 36, 74ff., 743
 - band diagonal 55ff.
 - biconjugate gradient method 87f., 610
 - indexed storage 81f.
 - in inverse problems 815
 - minimum residual method 88
 - named patterns 74, 833
 - partial differential equations 833ff.
 - relaxation method for boundary value problems 765
 - row-indexed storage 81f.
 - wavelet transform 596, 610
 - see also* Matrix
- Spearman rank-order coefficient 645f., 705
- Special functions *see* Function
- Spectral analysis *see* Fourier transform; Periodogram
- Spectral density 553
 - and data windowing 558ff.
 - figures of merit for data windows 559f.
 - normalization conventions 555
 - one-sided PSD 503
 - periodogram 556ff., 579
 - power spectral density (PSD) 503f.

- power spectral density per unit time 504
- power spectrum estimation by FFT 555ff.
- power spectrum estimation by MEM 577ff.
- two-sided PSD 504
- variance reduction in spectral estimation 557
- Spectral lines, how to smooth 655
- Spectral methods for partial differential equations 835f.
- Spectral radius 865ff., 873
- Spectral test for random number generator 289
- Spectrum *see* Fourier transform
- Spherical Bessel functions 245
 - routine for 256
- Spherical harmonics 257f.
 - orthogonality 257
 - routine for 258f.
 - stable recurrence for 258
 - table of 257
 - see also* Associated Legendre polynomials
- Spheroidal harmonics 775ff., 782ff.
 - boundary conditions 776
 - normalization 777
 - routines for 780ff.
- Spline 109
 - cubic 116ff.
 - gives tridiagonal system 118
 - natural 118
 - operation count 118
 - two-dimensional (bicubic) 130f.
- Spread matrix 819
- Spread spectrum 304
- Square root, complex 183f.
- Square root, multiple precision 923
- Square window 558
- Squaring, templated function in C++ 25, 941
- Stability 33f.
 - of Clenshaw's recurrence 188f.
 - Courant condition 840, 843ff., 847, 857
 - diffusion equation 851
 - of Gauss-Jordan elimination 39, 41
 - of implicit differencing 740f., 851
 - mesh-drift in PDEs 845f.
 - nonlinear 842, 848
 - partial differential equations 831, 838f.
 - of polynomial deflation 374
 - in quadrature solution of Volterra equation 798
 - of recurrence relations 185ff., 188f., 236, 244, 258
 - and stiff differential equations 740f.
 - von Neumann analysis for PDEs 838f., 841, 844, 851
 - see also* Accuracy
- Stabilized Kolmogorov-Smirnov test 631f.
- Stabilizing functional 809
- Staggered leapfrog method 844f.
- Standard deviation
 - of a distribution 616
 - of Fisher's z 642
 - of linear correlation coefficient 641
 - of sum squared difference of ranks 646
- Standard (probable) errors 621, 667, 672, 678, 682, 694
- Statement labels, named 9
- static object 19
- Statistical error 664
- Statistical tests 614ff.
 - Anderson-Darling 631f.
 - average deviation 616
 - bootstrap method 696f.
 - chi-square 625f., 634ff.
 - contingency coefficient C 635f.
 - contingency tables 633ff., 649
 - correlation 614f.
 - Cramer's V 635f.
 - difference of distributions 625ff.
 - difference of means 620ff.
 - difference of variances 622, 624
 - entropy measures of association 637ff.
 - F-test 622, 624
 - Fisher's z-transformation 642f.
 - general paradigm 614
 - Kendall's tau 645, 647ff.
 - Kolmogorov-Smirnov 625, 628ff., 650ff., 705
 - Kuiper's statistic 632
 - kurtosis 617, 619
 - L-estimates 705
 - linear correlation coefficient 641ff.
 - M-estimates 704ff.
 - mean 614ff., 619ff.
 - measures of association 615, 633ff.
 - measures of central tendency 615ff.
 - median 616, 705
 - mode 616
 - moments 615ff., 619
 - nonparametric correlation 644ff.
 - Pearson's r 641ff.
 - for periodic signal 582f.
 - phi statistic 636
 - R-estimates 705
 - rank correlation 644ff.
 - robust 616, 645, 704ff.
 - semi-invariants 619
 - for shift vs. for spread 631f.
 - significance 620f.
 - significance, one- vs. two-sided 624, 643
 - skewness 617, 619
 - Spearman rank-order coefficient 645f., 705
 - standard deviation 616
 - strength vs. significance 620, 633
 - Student's t 621, 642
 - Student's t, for correlation 642
 - Student's t, paired samples 623
 - Student's t, Spearman rank-order coefficient 645
 - Student's t, unequal variances 622
 - sum squared difference of ranks 645f.
 - Tukey's trimean 705
 - two-dimensional 650ff.
 - variance 614ff., 618, 623
 - Wilcoxon 705
 - see also* Error; Robust estimation
- Steak, without sizzle 821
- Steed's method
 - Bessel functions 245ff., 251
 - continued fractions 176f.

- Steepest descent method 425
in inverse problems 815
- Step
doubling 141, 720
tripling 147
- Stieltjes, procedure of 163
- Stiff equations 714, 739ff.
Kaps-Rentrop method 741
methods compared 750
predictor-corrector method 742
r.h.s. independent of x 741
Rosenbrock method 741ff.
scaling of variables 742
semi-implicit extrapolation method 741
semi-implicit midpoint rule 746
- Stiff functions 109, 410
- Stirling's approximation 218, 823
- Stoermer's rule 737
- Stopping criterion, in multigrid method 886
- Stopping criterion, in polynomial root finding 377
- Storage
band diagonal matrix 55
scheme for matrix in C++ 941
sparse matrices 81f.
- Straight injection 878
- Straight insertion 333f., 473
- Straight line fitting 666ff., 678f.
errors in both coordinates 671ff.
robust estimation 708f.
- Strassen's fast matrix algorithms 106f.
- Stratified sampling, Monte Carlo 321f., 328
- Strongly implicit procedure (SIPSOL) 835
- Stroustrup, B. 3, 17
- Structured programming 5ff.
- Student's probability distribution 231, 233
- Student's t-test
for correlation 642
for difference of means 621
for difference of means (paired samples) 623
for difference of means (unequal variances) 622
for difference of ranks 646
Spearman rank-order coefficient 645
- Sturmian sequence 481
- Sub-random sequences *see* Quasi-random sequence
- Subtraction, multiple precision 917
- Subtractive method for random number generator 286
- Successive over-relaxation (SOR) 868ff., 873
bad in multigrid method 877
Chebyshev acceleration 870f.
choice of overrelaxation parameter 868f.
- Sum squared difference of ranks 645
- Sums *see* Series
- Sun xx, 896
Solaris 4
Ultra workstation 4
Workshop Compiler 4
- Supernova 1987A 650
- SVD *see* Singular value decomposition (SVD)
- Symbol, of operator 877f.
- Synthetic division 94, 180, 373, 381
- Systematic errors 664
- T**ableau (interpolation) 112, 195
- Tangent function, continued fraction 175
- Taylor series 192, 366, 418, 713, 720, 753, 766, 770
- Template Numerical Toolkit (TNT) 30, 950
- Test programs 4
- \TeX xiv
- Thermodynamics, analogy for simulated annealing 448f.
- Threshold multiply of sparse matrices 84ff.
- Tides 573
- Tikhonov-Miller regularization 811ff.
- Time domain 501
- Time splitting 858f., 872
- Toeplitz matrix 93, 95ff., 207
LU decomposition 97
new, fast algorithms 98f.
nonsymmetric 96ff.
- Tongue twisters 344
- Torus 309ff., 317ff.
- Trademarks xx
- Trade-off curve 806, 820
- Transformation
Gauss 267
Landen 267
method for random number generator 291ff.
- Transforms, number theoretic 514
- Transport error 842
- Transpose of sparse matrix 83f.
- Trapezoidal rule 135, 138, 141ff., 144, 591, 595, 793f., 797
- Traveling salesman problem 449ff.
- Tridiagonal matrix 53f., 69, 162, 465f., 499
in alternating-direction implicit method (ADI) 872f.
from cubic spline 118
cyclic 77f.
in cyclic reduction 864
eigenvalues 481ff.
with fringes 833
from operator splitting 872f.
reduction of symmetric matrix to 474ff., 481
see also Matrix
- Trigonometric
functions, linear sequences 184f.
functions, recurrence relation 184, 584
functions, $\tan(\theta/2)$ as minimal 185
interpolation 108
solution of cubic equation 190f.
- Truncation error 33, 411, 720, 891f.
in multigrid method 885
in numerical derivatives 192
- Tukey's biweight 707
- Tukey's trimean 705
- Twin errors 904
- Two-dimensional *see* Multidimensional
- Two-dimensional K-S test 650ff.
- Two-pass algorithm for variance 618
- Two-point boundary value problems 713, 756ff.
automated allocation of mesh points 785ff., 788

- boundary conditions 756ff., 760, 763, 782f.
 - difficult cases 762f.
 - eigenvalue problem for differential equations 759, 775ff., 782ff.
 - free boundary problem 759, 788
 - grid (mesh) points 757f., 765, 785ff., 788
 - internal boundary conditions 787ff.
 - internal singular points 787ff.
 - linear requires no iteration 762
 - multiple shooting 764
 - problems reducible to standard form 759
 - regularity condition 787
 - relaxation method 757f., 765ff.
 - relaxation method, example of 775ff.
 - shooting to a fitting point 762ff.
 - shooting method 757, 760ff., 782ff.
 - shooting method, example of 782ff.
 - singular endpoints 763, 776, 782
 - see also* Elliptic partial differential equations
 - Two-sided exponential error distribution 706
 - Two-sided power spectral density 504
 - Two-step Lax-Wendroff method 846ff.
 - Type conversion
 - automatic 28
 - Type declarations
 - `nrtypes.h` 2, 21, 30, 931, 939, 949
- U**ncertainty coefficient 639
- Uncertainty principle 611
- Underflow, in IEEE arithmetic 893
- Underrelaxation 868
- Uniform deviates *see* Random deviates, uniform
- Unit-offset array xi, 21
- Unitary (function) 854f.
- Unitary (matrix) *see* Matrix
- UNIX xiii, xx, 16, 289, 307, 896
- Unnamed namespace 19
- Upper Hessenberg matrix *see* Hessenberg matrix
- Upwind differencing 843f., 848
- Using declaration 19
- Using directive 19
- U.S. Postal Service barcode 904
- Utility functions and classes (`nrutil.h`) 2, 20, 25ff., 931, 941, 950, 953
- V**-cycle 876
- `valarray` 20, 27
- Validation of Numerical Recipes procedures 3f.
- Valley, long or narrow 414, 418, 421
- Van Cittert's method 815
- Van Wijngaarden-Dekker-Brent method *see* Brent's method
- Vandermonde matrix 93ff., 123
- Variable length code 906
- Variable metric method 401, 430ff.
 - compared to conjugate gradient method 430
- Variable step-size integration 133, 146, 714, 718, 729ff., 737f., 743, 748, 753f.
- Variance(s)
 - of distribution 614ff., 619, 622, 624
 - pooled 621
 - reduction of (in Monte Carlo) 312, 320ff.
 - statistical differences between two 620
 - two-pass algorithm for computing 618
 - see also* Covariance
- Variational methods, partial differential equations 835
- VAX 289, 307
- Vector
 - representation in C++ xi, 3, 20, 25ff., 941, 950, 953
 - resize function not assumed 23
 - user-defined library 28ff., 949
 - see also* Array
- VEGAS algorithm for Monte Carlo 323ff.
- Verhoeff's algorithm for checksums 904
- Viète's formulas for cubic roots 190f.
- Virus, computer 899
- Viscosity
 - artificial 842, 848
 - numerical 841f., 848
- VMS xx
- Volterra equations 791f.
 - adaptive stepsize control 799
 - analogy with ODEs 796f.
 - block-by-block method 799
 - first kind 792, 797
 - nonlinear 792, 798
 - second kind 792, 796f.
 - unstable quadrature 798
- von Neumann-Richtmyer artificial viscosity 848
- von Neumann stability analysis for PDEs 838f., 841, 844, 851
- Vowellish (coding example) 906f., 912
- W**-cycle 876
- Warranty, disclaimer of xvii
- Wave equation 257, 829, 836f.
- Wavelet transform 596ff.
 - appearance of wavelets 602f.
 - approximation condition of order p 597
 - coefficient values 599, 601
 - contrasted with Fourier transform 596f., 605
 - Daubechies wavelet filter coefficients 597ff., 601, 602, 605, 609
 - detail information 598
 - discrete wavelet transform (DWT) 599f.
 - DWT (discrete wavelet transform) 599f.
 - eliminating wrap-around 599f.
 - fast solution of linear equations 609f.
 - filters 603f.
 - and Fourier domain 603f.
 - image processing 607f.
 - for integral equations 793
 - inverse 599
 - Lemarie's wavelet 605
 - of linear operator 609f.
 - mother-function coefficient 599
 - mother functions 596
 - multidimensional 606

- nonsmoothness of wavelets 602f.
- pyramidal algorithm 599
- quadrature mirror filter 597
- smooth information 598
- truncation 605f.
- wavelet filter coefficient 597, 599
- wavelets 596, 602ff.
- Wavelets *see* Wavelet transform
- Weber function 216
- Weighted Kolmogorov-Smirnov test 631f.
- Weighted least-squares fitting *see* Least squares fitting
- Weighting, full vs. half in multigrid 878
- Weights for Gaussian quadrature 152ff., 799
 - nonclassical weight function 163f., 799
- Welch window 559
- while iteration 13
- Wiener filtering 547, 552ff., 570f., 655
 - compared to regularization 812
- Wiener-Khinchin theorem 503, 571, 579
- Wilcoxon test 705
- Window function
 - Bartlett 559
 - flat-topped 560
 - Hamming 559
 - Hann 559
 - Parzen 559
 - square 558
 - Welch 559
- Winograd Fourier transform algorithms 514
- Woodbury formula 78ff., 93
- Wordlength 31
- Wraparound
 - order for storing spectrum 512
 - problem in convolution 545
- Wrapper class 29f., 950, 953
- Wronskian, of Bessel functions 245, 251

X.25 protocol 900
XMODEM checksum 899
X-ray diffraction pattern, processing of 816

Yale Sparse Matrix Package 75, 81

Z-transform 566, 572, 577
Z-transformation, Fisher's 642f.
Zealots 825
Zebra relaxation 877
Zero contours 383f.
Zero-offset array xi, 21
Zeroth-order regularization 807ff.
Zip code, barcode for 904
Ziv-Lempel compression 906